

This document was generated on 08/27/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 0987881201

Status: **Active** 

**NSCC - New Standard Casing Contact** Overview:

1.50mm Pitch NSCC, Wire-to-Wire, Receptacle Housing, Gray, 10 Circuits **Description:** 

**Documents:** 

Drawing (PDF) Application Specification AS-98788-003-001 (PDF)

Application Specification 987880002-AS-CH-001 Application Specification AS-98788-003-FR-001 (PDF)

(PDF) RoHS Certificate of Compliance (PDF)

Application Specification 987880003-AS-CH-001

(PDF)

Application Specification AS-98788-002-001 (PDF)

Application tooling part link

**Application Tooling Part Link** 63812-1200 **Application Tooling Part Link** 63813-5700 **Application Tooling Part Link** 63813-7400

General

**Product Family** Crimp Housings

Series 98788

Power, Wire-to-Wire Application

Overview NSCC - New Standard Casing Contact

**Product Name NSCC** 

**UPC** 822348791620

**Physical** 

Circuits (maximum) 10

Circuits Detail 10x1.5mm male terminal

Color - Resin Black Gender Receptacle Glow-Wire Capable No

**Keying to Mating Part** None Lock to Mating Part None Material - Resin Polyester Net Weight 9.590/g Number of Rows Packaging Type Bag **Panel Mount** No Pitch - Mating Interface 4.25mm Pitch - Termination Interface 6.00mm Polarized to Mating Part Yes **Ports** Stackable No

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Engineering Number** 19201EV10M1

**Reference - Drawing Numbers** 

Temperature Range - Operating

**Application Specification** 987880002-AS-CH-001, 987880003-AS-CH-001,

AS-98788-002-001, AS-98788-003-001, AS-98788-003-

FR-001

N/A

Sales Drawing SD-98788-006-001



Series image - Reference only

**EU ELV** 

Compliant

**EU RoHS China RoHS** 

Compliant **REACH SVHC** 

Not Contained Per -D(2021)4569-DC (8

July 2021) **Halogen-Free** 

**Status** 

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image Compliant **ELV RoHS Phthalates** Not Contained

Search Parts in this Series

98788 Series

**Mates With** 987891201

**Use With** 

Sicma 1.5 and 2.8mm Female Terminals for Single Wire Seal from FCI

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product # Insertion Tool for 638121200

Seal Plug

**Extractor Tool for** 638135700

CTX64 Female

**Crimp Terminals** 

Extractor Tool for NCSS Female Housing

638137400

This document was generated on 08/27/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

003-018-000 60403001 60993906-B M902-2131 M902-2161 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004475-L 12010290 12010309-B 12015454 12020219-B 12020308 12041318-B 12052225-L 12052466 12059125 12064869 12004327-B 12010503-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546