

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0988161011](#)  
**Status:** **Active**  
**Overview:** NSCC - New Standard Casing Contact  
**Description:** NSCC Unsealed Female Housing, 10 Circuits, Dual Row, Black, Version 2 with Ear

**Documents:**

[3D Model](#) [Packaging Specification PK-98816-001-001 \(PDF\)](#)  
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Application Specification AS-98816-001-001 \(PDF\)](#)

**Application tooling part link**

Application Tooling Part Link 63813-7500

**General**

Product Family Crimp Housings  
 Series [98816](#)  
 Application Power, Wire-to-Wire  
 Comments Pitch Center Spacing: Horizontal Pitch 3.33mm, Vertical pitch 6.00mm  
 Overview [NSCC - New Standard Casing Contact](#)  
 Product Name NSCC  
 UPC 822348761333

**Physical**

Circuits (maximum) 10  
 Circuits Detail 10x1.5mm female terminals  
 Color - Resin Black  
 Gender Receptacle  
 Glow-Wire Capable No  
 Keying to Mating Part Yes  
 Lock to Mating Part Yes  
 Material - Resin Polyester  
 Net Weight 5.000/g  
 Number of Rows 2  
 Packaging Type Bag  
 Panel Mount No  
 Pitch - Mating Interface 3.33mm, 6.00mm  
 Polarized to Mating Part Yes  
 Ports 1  
 Temperature Range - Operating -40° to +85°C

**Electrical**

Current - Maximum per Contact 10.0A

**Solder Process Data**

Lead-free Process Capability N/A

**Material Info**

Engineering Number 18501EV10M1

**Reference - Drawing Numbers**

Application Specification AS-98816-001-001  
 Packaging Specification PK-98816-001-001  
 Sales Drawing SD-98816-005, SD-98816-006



Series image - Reference only

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**China RoHS**

**REACH SVHC**

Not Contained Per - ED/71/2019 (16 July 2019)

**Halogen-Free Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Compliant

RoHS Phthalates

Not Contained

**Search Parts in this Series**

[98816 Series](#)

**Mates With**

[988231011 \(Male Receptacle Housing\)](#)

**Use With**

NSCC Female terminal [98897 11x9](#) or FCI Female terminal 1.5 Sicma 3

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Extractor Tool for [638137500](#)  
 NSCC Female Housing

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#) [12052466](#)  
[12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#) [12047957](#)  
[12047957-L](#) [12059473](#) [12066261](#) [12110546](#)