

This document was generated on 10/28/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 1731130065 Status: Active Overview: FCT D-Sub Connectors Description: FCT High-Density D-Sub Connector, Female, Straight, Solder Cup, Gold Plating, 62 Circuits Circuits Documents: RoHS Certificate of Compliance (PDF) Series image - Reference only General Product Family D-Sub Products Series image - Reference only Series 1/73113 Volt Relevant IP Rating IP20 Not Relevant Overview FCT Products China RoHS Product Category D-Sub Connector Products Product Category D-Sub Connector Products Type High Density China RoHS UPC 889056324489 Not Relevant China RoHS Physical Circuits (Loaded) 62 Color - Resin Black Not Reviewed Durability (mating cycles max) 50 Not Reviewed Not Reviewed
Control FCT D-Sub Connectors Description: FCT High-Density D-Sub Connector, Female, Straight, Solder Cup, Gold Plating, 62 Documents: Brochure (PDF) RoHS Certificate of Compliance (PDF) General Product Family D-Sub Products Series 173113 IP Rating IP20 Overview FCT D-Sub Connectors Product Category D-Sub Connector Product Name FCT Products EU ELV Not Relevant Type High Density UPC 889056324489 China RoHS Physical Chroutis (Loaded) 62 Color - Resin Black
Description: FCT High-Density D-Sub Connector, Female, Straight, Solder Cup, Gold Plating, 62 Circuits Documents: Brochure (PDF) RoHS Certificate of Compliance (PDF) General Product Family D-Sub Products Series 173113 IP Rating Desub Connectors Product Category D-Sub Connector Product Name FCT Products Type High Density UPC 889056324489 Physical Circuits (Loaded) 62 Circuits (maximum) 62 Color - Resin Black
Circuits Circuits Documents: Brochure (PDF) RoHS Certificate of Compliance (PDF) General Series Product Family D-Sub Products Series 173113 IP Rating IP20 Series image - Reference only Overview FCT D-Sub Connectors Not Relevant Product Category D-Sub Connector Not Relevant Product Name FCT Products China RoHS Type High Density Compliant China RoHS Physical Ot Contained Per - D(2021)4569-DC (8 July 2021) Circuits (Loaded) 62 Cols and
Documents: Brochure (PDF) RoHS Certificate of Compliance (PDF) General Product Family D-Sub Products Series 173113 IP Rating IP20 Overview FCT D-Sub Connectors Product Category D-Sub Connector Product Name FCT Products Type High Density UPC 8890566324489 Physical China RoHS Circuits (Loaded) 62 Color - Resin Black
Brochure (PDF) RoHS Certificate of Compliance (PDF) General Product Family D-Sub Products Series 173113 IP Rating IP20 Overview FCT D-Sub Connectors Product Category D-Sub Connector Product Category D-Sub Connector Product Name FCT Products Type High Density UPC 889056324489 Physical Compliant Circuits (Loaded) 62 Circuits (maximum) 62 Color - Resin Black
Brochure (PDF) RoHS Certificate of Compliance (PDF) General Product Family D-Sub Products Series 173113 IP Rating IP20 Overview FCT D-Sub Connectors Product Category D-Sub Connector Product Category D-Sub Connector Product Name FCT Products Type High Density UPC 889056324489 Physical Compliant Circuits (Loaded) 62 Circuits (maximum) 62 Color - Resin Black
General Series Series
Product FamilyD-Sub ProductsSeries image - Reference onlySeries173113IP RatingIP20OverviewFCT D-Sub ConnectorsProduct CategoryD-Sub ConnectorProduct NameFCT ProductsTypeHigh DensityUPC889056324489PhysicalChina RoHSCircuits (Loaded)62Circuits (maximum)62Color - ResinBlack
Product FamilyD-Sub ProductsSeries image - Reference onlySeries173113IP RatingIP20OverviewFCT D-Sub ConnectorsProduct CategoryD-Sub ConnectorProduct NameFCT ProductsTypeHigh DensityUPC889056324489PhysicalChina RoHSCircuits (Loaded)62Circuits (maximum)62Color - ResinBlack
Forduct fulling Distribution Series 173113 IP Rating IP20 Overview FCT D-Sub Connectors Product Category D-Sub Connector Product Name FCT Products Type High Density UPC 889056324489 Physical EL RoHS Circuits (Loaded) 62 Circuits (Loaded) 62 Color - Resin Black
IP RatingIP20EU ELVOverviewFCT D-Sub ConnectorsNot RelevantProduct CategoryD-Sub ConnectorEU RoHSChina RoHSProduct NameFCT ProductsEU RoHSChina RoHSTypeHigh DensityCompliantCompliantUPC889056324489REACH SVHCNot Contained Per -PhysicalCircuits (Loaded)62July 2021)Circuits (maximum)62July 2021)
OverviewFCT D-Sub ConnectorsNot RelevantProduct CategoryD-Sub ConnectorEU RoHSChina RoHSProduct NameFCT ProductsCompliantCompliantTypeHigh DensityCompliantREACH SVHCUPC889056324489Not Contained Per -PhysicalCircuits (Loaded)62July 2021)Circuits (maximum)62July 2021)Halogen-FreeColor - ResinBlackStatusStatus
Product CategoryD-Sub ConnectorProduct NameFCT ProductsTypeHigh DensityUPC889056324489REACH SVHCNot Contained Per -D(2021)4569-DC (8Circuits (Loaded)62Circuits (maximum)62Color - ResinBlack
Product NameFCT ProductsEU RoHSChina RoHSTypeHigh DensityCompliantUPC889056324489REACH SVHCPhysicalNot Contained Per -Circuits (Loaded)62July 2021)Circuits (maximum)62July 2021)Color - ResinBlackStatus
TypeHigh DensityCompliantUPC889056324489REACH SVHCNot Contained Per -Not Contained Per -D(2021)4569-DC (8Circuits (Loaded)62Circuits (maximum)62Color - ResinBlack
High DensityREACH SVHCUPC889056324489Not Contained Per -PhysicalD(2021)4569-DC (8Circuits (Loaded)62July 2021)Circuits (maximum)62Halogen-FreeColor - ResinBlackStatus
PhysicalNot Contained Per - D(2021)4569-DC (8Circuits (Loaded)62July 2021)Circuits (maximum)62Halogen-Free StatusColor - ResinBlackStatus
PhysicalD(2021)4569-DC (8Circuits (Loaded)62July 2021)Circuits (maximum)62Halogen-FreeColor - ResinBlackStatus
Circuits (Loaded)62July 2021)Circuits (maximum)62Halogen-FreeColor - ResinBlackStatus
Circuits (maximum)62Halogen-FreeColor - ResinBlackStatus
Color - Resin Black <u>Status</u>
Durability (mating cycles max) 50
Gender Female For more information, please visit Contact US
Material - Contact Copper Alloy
Material - Resin PBT China ROHS Green Image
Material - Shell ELV Not Relevant
Net Weight16.000/gRoHS PhthalatesNot Contained
Number of Rows 3
Orientation Straight
PCB Locator No Search Parts in this Series
PCB Retention None <u>173113</u> Series
Packaging Type Tray
Panel Mount Rear Mates With
Panel Mount Method Flange
Filter - Mating interface
Plating - Contact Gold over Nickel
Plating - Shell Nickel
Polarized to Mating Part Yes Ports 1
Shielded Yes
Temperature Range - Operating -55° to +105°C
Termination Style Solder Cup
Waterproof / Dustproof No
Waterproof / Dustproof Type IP20
Wire Size AWG 22
Electrical
Current - Maximum per Contact 3.0A
Material Info Engineering Number CT37-62S

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub High Density Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

97-3250-11 163A16809X 163A17089X 164A17199X 242A25680X L717HDB44POL2R210 L717HDEH15POL2 L777HDE15P L77HDE15SC309 163A16759X 163A16839X 163A16989X 163A17079X 164A17329X 164A18219X 241A16440X 241A16550X 241A16680X 241A20810X 241A25740X CT25-44P MDBE15PE766 L177HDE15SOL2RM23 L177HRC62S L177HRC62SVFM L177HRCG62S L717HDEG15POL2RM5 L77HDA26SVF L77HDE15SD1CO L77HDEH15SOL2RM832 DAMA-15S-WS 443895-3 106698-1 280-012K2C L177HRB44S 164A17039X 09562004701510 164A17969X L777HRC62P 241A17960X 164A18269X 280-019S1S9MEN L777HDEG15P 280-018P3S25MEGN 206504-2 40-9515HDSP 2057140-1 C115370-6002 DFMA104SNMBFR172FR022 HDC9F200E2S