

This document was generated on 07/27/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

[
Part Number:	1731070100		
Status:			
	Active		
Overview:	FCT D-Sub Connectors		
Description:		Connector, Female, Straight, PCB Through Hole, Gold	
	Plating, Tin-plated Shell w	vithout Dimples, 9 Circuits, 5 Signal Contacts Loaded	
Documents:			
Datasheet (PDF)		RoHS Certificate of Compliance (PDF)	
Brochure (PDF)		,	
General			Series image - Reference only
Product Family		D-Sub Products	
Series		<u>173107</u>	EU ELV
IP Rating		IP20	Not Relevant
Overview		FCT D-Sub Connectors	
Product Category		D-Sub Connector	EU RoHS China RoHS
Product Name		FCT Products	Compliant with
		Mixed Layout	Exemption 6(c)
Type UPC		889056324779	REACH SVHC
		009030324119	Contained Per -
Physical			ED/71/2019 (16 July
Circuits (Loaded)		5	2019)
Circuits (maximum)		9	lead
Color - Resin		Green	Halogen-Free
Durability (mating cycles max)		500	Status
Gender		Female	Not Reviewed
Material - Contact		Copper Alloy	
Material - Resin		PBT	For more information, please visit Contact US
Material - Shell		Steel	China ROHS 50 Image
Net Weight		9.200/g	ELV Not Relevant
Number of Rows		2	RoHS Phthalates Not Contained
Orientation		2 Straight	
PC Tail Length		10.30mm	
PCB Locator		No	
PCB Retention		None	Search Parts in this Series
			<u>173107</u> Series
PCB Thickness - Recommended		1.60mm Carton	
Packaging Type			Mates With
Panel Mount Panel Mount Method		Rear	FCT Mixed Layout D-Sub, Size 3, 9W4, Plug
Panel Mount Method Pitch - Mating Interface		Flange 2.84mm	
Pitch - Mating Interface Pitch - Termination Interface		2.84mm	Use With
			FCT Coaxial, High Power, High Voltage, or
Plating - Contact		Gold over Nickel	Preumatic Contacts
Plating - Shell	Dort	Tin Yes	
Polarized to Mating I	Γαιι	Yes	
Polarized to PCB			
Ports		1 Voo	
Shielded	Operating		
Temperature Range	- Operating	-55° to +130°C	
Termination Style	6	Through Hole	
Waterproof / Dustpro		No	
Waterproof / Dustpro	оот туре	IP20	
Wire Size AWG		20	
Electrical			
Current - Maximum	oor Contact	7.5A	

This document was generated on 07/27/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Mixed Contact Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

790-025SF-5P5NMN790-025SJ-7P7NMLDAM-7W2PCL717TWB5W5P3RL717TWB5W5PRM84L717TWP3W3P3003W3PXX56N40X3005W5PXX99E40X3005W5SXX99A30X3005W5SXX99E40X3013W6SCM99A10X3036W4PCM41A10X3036W4SCM99A10XFCE17-E2W2SS-2N0212522-7PII-468-13003W3PXX43A10X3003W3SXX56N40X3005W5PXX88N40X3007W2PAR71E20X3008W8SXX57A30X3009W4PCT57P20X3011W1SXK99A10X3017W2SAR69C40X321WA4PXK99A60X3F3SSC22S41A30XL717TWA7W2PP2SY3RDBM-17W2S-1A8N-A190-A197-1421WA4PCR50E20X09691009009096911000225000969300917609692009147096939090156017W2PCM41B30X790-061SH-36W2NMNA790-044SE-7P3MNPB790-043PE-11P2MPA790-043PB-2P2MPB790-029SB-2P2MEPA790-028PK-9P9MPA790-028PH-54P2MGA790-028PH-36P2MNA790-028PB-2P2MPA790-028PB-2P2MPA027SH-5W5MTEP790-026PH-54P2ZNUG790-026PH-54P2MP790-026PH-36P2ZNUG790-026PH-36P2MG790-026PD-3P3MP