



EURO 88RE

Article: **88RED060H1Z0**

ELECTROMECHANICAL SLIM RELAY (EMR)

- Input coil voltage **60VDC**
- Continuous current **6A**
- 1CO contact (SPDT) – 5mm thickness



GENERAL INFORMATION

Series	88RE
Item	88RED060H1Z0
Weight / Piece	5 g
Color	White
Q.ty p.pck.	100
Q.ty p. box	-

GENERAL DATA

Dimensioni

Width mm(in.)	5 (0.20)
Length mm(in.)	28 (1.10)
Height mm(in.)	15 (0.59)
Mounting type	PCB – plug-in

General Data

Mechanical endurance	1 x 10 ⁷ OPS
Dielectric strength Coil contact-circuit	4kVAC 60s
Contacts material	AgSnO ₂
Contact type	1CO contact (SPDT)

Ambient conditions

Operating temperature	-40°C...+85°C
-----------------------	---------------

INPUT data

Coil voltage	60VDC
Rated power consumption	210mW
Operating Range at 23°C	45,0...90,0VDC
Operate time at U _N	8ms max.
Realise time at U _N	4ms max.

OUTPUT data

Max breaking capacity AC1	1500VA
Min breaking capacity AC1	1W
Max Switching voltage	250VAC / 30VDC
Continuos current	6A


APPROVALS




File E356484





TECHNICAL DRAWINGS



Wiring diagram



PCB Layout



ACCESSORIES

Additional items

Item	Description
88B2H3060U1	Empty socket SLIM relay: 6,3mm – in48-60VUC – screw system
88B2H3120U1	Empty socket SLIM relay: 6,3mm – in110-125VUC – screw system
88B2H3230U1	Empty socket SLIM relay: 6,3mm – in220-240VUC – screw system
88B2M1060U1	Empty socket SLIM relay: 5,1mm – in48-60VUC – no connectors
88B2M2060U1	Empty socket SLIM relay: 5,1mm – in48-60VUC – spring connectors
88B2M3060U1	Empty socket SLIM relay: 5,1mm – in48-60VUC – screw connectors
88B2M1120U1	Empty socket SLIM relay: 5,1mm – in110-125VUC – no connectors
88B2M2120U1	Empty socket SLIM relay: 5,1mm – in110-125VUC – spring connectors
88B2M3120U1	Empty socket SLIM relay: 5,1mm – in110-125VUC – screw connectors

ACCESSORI**Articoli correlati**

Codice articolo	Descrizione
88B2M1240U1	Empty socket SLIM relay: 5,1mm – in220-240VUC – no connectors
88B2M2240U1	Empty socket SLIM relay: 5,1mm – in220-240VUC – spring connectors
88B2M3240U1	Empty socket SLIM relay: 5,1mm – in220-240VUC – screw connectors

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [General Purpose Relays](#) category:

Click to view products by [MORSETTITALIA](#) manufacturer:

Other Similar products are found below :

[APF30318](#) [JVN1AF-4.5V-F](#) [PCN-105D3MHZ](#) [5JO-10000S-SIL](#) [5JO-1000CD-SIL](#) [5JO-400CD-SIL](#) [LY2S-AC220/240](#) [LYQ20DC12](#)
[6031007G](#) [6131406HQ](#) [6-1393099-3](#) [6-1393099-8](#) [6-1393122-4](#) [6-1393123-2](#) [6-1393767-1](#) [6-1393843-7](#) [6-1415012-1](#) [6-1419102-2](#) [6-1423698-4](#) [6-1608051-6](#) [6-1608067-0](#) [6-1616170-6](#) [6-1616248-2](#) [6-1616282-3](#) [6-1616348-2](#) [6-1616350-1](#) [6-1616350-8](#) [6-1616358-7](#) [6-1616359-9](#) [6-1616360-9](#) [6-1616931-6](#) [6-1617039-1](#) [6-1617052-1](#) [6-1617090-2](#) [6-1617090-5](#) [6-1617347-5](#) [6-1617353-3](#) [6-1617801-8](#) [6-1617802-2](#) [6-1618107-9](#) [6-1618248-4](#) [M83536/1-027M](#) [CX-4014](#) [MAHC-5494](#) [MAVCD-5419-6](#) [703XCX-120A](#) [7-1393100-5](#) [7-1393111-7](#)
[7-1393144-5](#) [7-1393767-8](#)