

Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of BLF03JD421GZE# from the official website of Murata Manufacturing Co., Ltd.

https://www.murata.com/en-global/products/productdetail?partno=BLF03JD421GZE%23

### BLF03JD421GZE#


"#" indicates a package specification code.



< List of part numbers with package codes > BLF03JD421GZED BLF03JD421GZEB









1. Frequency specified filters are designed to reduce noise greatly at specified frequency.

which greatly reduces the possibility of resonance and leaves signal wave forms undistorted. BLF series is effective in circuits without stable

ground lines because BLF series does not need a connection to ground.

- 2. The nickel barrier structure of the external electrodes provides excellent solder heat resistance.
- 3.BLF03JD series is designed to have high impedance at 700MHz to 1GHz.

Suitable for immunity noise suppression for GSM band.



	tomotive age	Infotainment
--	-----------------	--------------

### Packaging Information

Packaging	Specifications	Minimum Order Quantity
D	180mm Paper Tape	15000
В	Bulk(Bag)	1000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date

Please download the latest datasheet of BLF03JD421GZE# from the official website of Murata Manufacturing

Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=BLF03JD421GZE%23

## BLF03JD421GZE#

#### "#" indicates a package specification code.

# Specifications

INNOVATOR IN ELECTRONICS

Shape	SMD	
Size Code (in mm)	0603	
Size Code (in inch)	0201	
Length	0.6mm	
Length Tolerance	±0.03mm	
Width	0.3mm	
Width Tolerance	±0.03mm	
Thickness	0.4mm	
Thickness Tolerance	±0.03mm	
Impedance (at Target Frequency)	420Ω±40% (at 700MHz)	
Rated Current (at 85°C)	480mA	
Rated Current (at 125°C)	370mA	
DC Resistance(max.)	0.28Ω	
Operating Temperature Range	-55℃ to 125℃	
Mass(typ.)	0.4mg	
Number of Circuit	1	

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date.

Please download the latest datasheet of BLF03JD421GZE# from the official website of Murata Manufacturing Co., Ltd.


https://www.murata.com/en-global/products/productdetail?partno=BLF03JD421GZE%23

## BLF03JD421GZE#

"#" indicates a package specification code.




INNOVATOR IN FLECT



In operating temperature exceeding +85°C, derating of current is necessary for this series.

Please apply the derating curve shown in chart according to the operating temperature.

Derating of Rated Current



Impedance-Frequency Characteristics

Derating of Rated Current

(Resistance element becomes dominant at high frequencies.)

Equivalent Circuit

3 of 3

Attention

 This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ferrite Beads category:

Click to view products by Murata manufacturer:

Other Similar products are found below :

CZB1EGTTP700P CZB1JGTTD101P CZB1JGTTD151P CZB1JGTTD601P CZB2AFTTD800P CZB2AGTTD601P CZB2BFTTE600P PE-0402FB121ST EMI0805R-11 NCB0603R301TR050F NCB0805A320TR050F NCB-H1206B680TR300F SMB2.5-1TR SMB2.5R-2 2943778301 CZB1EGTTP121P CZB1JGTTD102P CZB1JGTTD121P CZB1JGTTD221P CZB2AGTTD301P CZB2BFTTE601P 4221R-1 4221R-2 4221R-3 EMI0805R-2000 EMI0805R-600 SBY100505T-100Y-N NCB-GH0402D121TR060F NCB-H1812D125TR150F CZB2AGTTD102P NCB0402P301TR005F NCB0603R152TR030F NCB0805A121TR050F NCB3312K900TR500F NCB-H0805A221TR300F NCB-H1806E181TR300F NCB0402P300TR030F NCB0402P700TR050F NCB0805A102TR040F NCB1806E151TR020F NCB-H0603R121TR300F NCB-H0805A220TR600F NCB-H0805A390TR400F CIM21J252NE CZB2BFTTE121P EMI0805R-220 74279250 7427924 CZB1JGTTD202P ABUPDE160808121Y00