

http://www.murata.com/zh-cn/products/productdetail?partno=BLM15AX700SN1%23

# BLM15AX700SN1#

"#"处为包装规格代号。







### <品名(附包装代号)一览> BLM15AX700SN1B BLM15AX700SN1D

### BLM15AX700SN1J



## 外观&形状













## 用涂

其他用途 For general



## 包装信息

包装	规格	标准包装数量
В	散装袋	1000
D	180mm纸带	10000
J	330mm纸带	50000

## 特点

The chip ferrite beads BLM series is designed to function nearly as a resistor at noise frequencies, which greatly reduces the possibility of resonance and leaves signal wave forms undistorted. BLM series is effective in circuits without stable ground lines because BLM series does not need a connection to ground.

The nickel barrier structure of the external electrodes provides excellent solder heat resistance. BLM A series generates an impedance from the relatively low frequencies. Therefore BLM A series is effective in noise suppression in a wide frequency range (30MHz to several hundred MHz). Because of newly developed ferrite material, BLM15AX has been realized lower DC resistance and larger rated current than BLM15AG series. In addition, its performance change by stresses like heat shock is less than other ferrite beads. So, the noise suppression performance becomes stable.

在1/3页

### 注意

- 1. 本目录是从株式会社村田制作所网站中下载的。规格若有变更,或若其中产品停产,请在订购时确认,恕不另行通知。
- 2. 本目录因没有足够的空间说明详细规格,仅载明标准规格。因此,在订购产品之前,谨请核准其规格或者办理产品规格表。



BLM15AX700SN1#

请从村田制作所的官方网站下载BLM15AX700SN1#的很新数据表。

注:这张数据表有可能不是很新的。

http://www.murata.com/zh-cn/products/productdetail?partno=BLM15AX700SN1%23

"#"处为包装规格代号。



形状	SMD
长度	1.0mm
长度公差	±0.05mm
宽度	0.5mm
宽度公差	±0.05mm
厚度	0.5mm
厚度公差	±0.05mm
工作温度范围	-55℃ to 125℃
质量(标准值)	0.001g
电路数目	1
额定电流(at 85℃)	780mA
额定电流(at 125℃)	780mA
直流电阻(max)	0.1Ω
阻抗(at 100MHz)	70Ω
阻抗(at 100MHz)公差	±25%
尺寸代码(单位为mm)	1005

在2/3页

- 1. 本目录是从株式会社村田制作所网站中下载的。规格若有变更,或若其中产品停产,请在订购时确认,恕不另行通知。
- 2. 本目录因没有足够的空间说明详细规格,仅载明标准规格。因此,在订购产品之前,谨请核准其规格或者办理产品规格表。



请从村田制作所的官方网站下载BLM15AX700SN1#的很新数据表。

注:这张数据表有可能不是很新的。


http://www.murata.com/zh-cn/products/productdetail?partno=BLM15AX700SN1%23


"#"处为包装规格代号。

# BLM15AX700SN1#



## 产品数据





阻抗-频率特性

等效电路

在3/3页

- 1. 本目录是从株式会社村田制作所网站中下载的。规格若有变更,或若其中产品停产,请在订购时确认,恕不另行通知。
- 2. 本目录因没有足够的空间说明详细规格,仅载明标准规格。因此,在订购产品之前,谨请核准其规格或者办理产品规格表。

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Multilayer Ceramic Capacitors MLCC - SMD/SMT category:

Click to view products by Murata manufacturer:

Other Similar products are found below:

M39014/02-1225V M39014/22-0631 D55342E07B523DR-T/R NCA1206X7R103K50TRPF NCA1206X7R104K16TRPF NIN-FB391JTRF

NIN-FC2R7JTRF NMC0201X5R474K4TRPF NMC0402NPO220J50TRPF NMC0402X5R105K6.3TRPF NMC0402X5R224K6.3TRPF

NMC0402X7R103J25TRPF NMC0402X7R153K16TRPF NMC0603NPO1R8C50TRPF NMC0603NPO201J50TRPF

NMC0603NPO330G50TRPF NMC0603X5R475M6.3TRPF NMC0805NPO270J50TRPF NMC0805NPO820J50TRPF

NMC0805X7R224K16TRPLPF NMC0805X7R224K25TRPF NMC1206X7R102K50TRPF NMC1206X7R475K10TRPLPF NMC
L0402NPO7R0C50TRPF NMC-L0603NPO2R2B50TRPF NMC-Q0402NPO8R2D200TRPF C1206C101J1GAC C1608C0G2A221J

C1608X7R1E334K C2012C0G2A472J 2220J2K00562KXT 1812J2K00332KXT CDR31BX103AKWR CDR33BX104AKUR

CDR33BX683AKUS CGA2B2C0G1H010C CGA2B2C0G1H040C CGA2B2C0G1H050C CGA2B2C0G1H060D CGA2B2C0G1H070D

CGA2B2C0G1H120J CGA2B2C0G1H391J CGA2B2C0G1H3R3C CGA2B2C0G1H680J CGA2B2C0G1H6R8D