

**Product Search Data Sheet** 

Note: This datasheet may be out of date. Please download the latest datasheet of CSBLA800KJ58-B0 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=CSBLA800KJ58-B0

# CSBLA800KJ58-B0










# Appearance & Shape







### **Applications**

Other Usage Consumer/Industrial	
---------------------------------	--



## **Packaging Information**

Packaging	Specifications	Standard Packing Quantity
В0	Bulk	1000



### **Features**

The CSBLAseries ceramic resonators owe their development to MURATA's innovative expert technologies and the application of mass production techniques typically utilized in the manufacture of piezoelectric ceramic components. Because of their high mechanical Q and consistent high quality, the CSBLAseries are ideally suited to microprocessor and remote control unit applications.

### Features

- 1. Stable over a wide temperature range and with respect to longterm aging.
- 2. Fixed, tuned, solid-state devices
- 3. Miniature and lightweight
- 4. Exhibit excellent shock resistance performance.
- 5. Oscillating circuits requiring no adjustment can be designed by utilizing these resonators in conjunction with transistors or appropriate ICs.

1 of 2

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date.  $Please\ download\ the\ latest\ data sheet\ of\ CSBLA800KJ58-B0\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=CSBLA800KJ58-B0

# CSBLA800KJ58-B0



# **Specifications**

Product Type	Ceramic Resonator (CERALOCK)
Series	CSBLA_J (430kHz-)
Frequency	800.0kHz
Frequency Tolerance	+/-0.50% max.
Operating Temperature Range	-20°C~80°C
Frequency Shift by Temperature	+/-0.30% max.
Frequency Aging	+/-0.30% max.
Resonant Impedance (R1)	60ohm max.
Shape	Lead
Wash	available
L x W (size)	6.0x5.0mm
Mass	108mg

2 of 2

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Resonators category:

Click to view products by Murata manufacturer:

Other Similar products are found below:

B39431R820H210 CSAC2.00MGCM-TC ECS-HFR-40.00-B-TR CSTLS4M00G53Z-A0 ECS-CR2-16.00-A-TR ECS-HFR-20.00-B-TR ECS-CR2-20.00-A-TR RO3164E-3 CSTNE14M7V510000R0 7D038400I01 7B009843R01 NX2012SA 32.768KHZ STD-MUB-1 NX3215SA 32.768KHZ STD-MUS-2 7B009843M01 OZ26030001 Q22FA12800519 CSTCR4M00G55E-R0 XC32M4-37.400-F16NLDT CSTLS24M0X53-B0 AWSCR-10.00CELB-C10-T3 AWSCR-12.00CELA-C33-T3 AWSCR-2.00CPLB-C15-T4 AWSCR-3.58CPLA-C30-T4 AWSCR-3.58CPLB-C30-T4 AWSCR-4.00CPLA-C33-T4 AWSCR-4.00CPLB-C10-T4 AWSCR-4.00CRLA-C39-T3 AWSCR-4.19CPLA-C30-T4 AWSCR-4.19CRLA-C15-T3 AWSCR-4.19CRLB-C15-T3 AWSCR-4.91CRLB-C15-T3 AWSCR-5.00CPLA-C30-T4 AWSCR-5.00CPLA-C30-T4 AWSCR-5.00CPLA-C30-T4 AWSCR-7.37CPLB-C30-T4 AWSCR-5.00CRLA-C15-T3 AWSCR-5.00CRLB-C15-T3 AWSCR-7.37CPLA-C30-T4 AWSCR-7.37CPLB-C30-T4 AWSCR-7.37CPLB-C30-T4 9AC04194152080D2JB CSTCR4M91G55B-R0 CSTLS3M68G56-B0 FC-12M32.768KHZ9PF20PPM ASR433.42E-T ZTTCS8.00MT X1A000091000500 X1A0000910001 ECS-SR1-4.19-B-TR 7C024000HW1 7C012000IW1 7C012000IMV1