

## ● Part Numbering

### CERALOCK® (MHz)

(Part Number)

CS	T	NE	16M0	V	5	3	****	R0
1	2	3	4	5	6	7	8	9

#### ① Product ID

Product ID	
CS	Ceramic Resonators

#### ② Frequency/Capacitance

Code	Frequency/Capacitance
A	MHz without Built-in Capacitance
T	MHz with Built-in Capacitance

#### ③ Structure/Size

Code	Structure/Size
LS	Round Lead Type
CC	Cap Chip Type
CR/CE/CG/NR/NE	Small-cap Chip Type
CV	Monolithic Chip Type
CW	Small Monolithic Chip Type

#### ④ Nominal Center Frequency

Expressed by four-digit alphanumerics. The unit is in hertz (Hz).  
Decimal point is expressed by capital letter "M."

#### ⑤ Design

Code	Design
G	Thickness Shear mode
T/V	Thickness Expander mode
X	Thickness Expander mode (3rd overtone)

#### ⑥ Initial Frequency Tolerance

Code	Initial Frequency Tolerance
5	±0.5%
3	±0.3%
2	±0.2%
1	±0.1%
H	±0.07%

#### ⑦ Load Capacity

Code	Load Capacity
1	5pF
2	10pF
3	15pF
4	22pF
5	33/39pF
6	47pF

#### ⑧ Individual Specification

Code	Individual Specification
****	Four-digit alphanumerics express "Individual Specification."

"0000" or "-": Standard specification type.

#### ⑨ Packaging

Code	Packaging
B0	Bulk
A0	Radial Taping H <sub>0</sub> =18mm
R0	Plastic Taping ø=180mm Reel
R1	Plastic Taping ø=330mm Reel

• Radial taping is applied to lead type and plastic taping to chip type.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Resonators](#) category:*

*Click to view products by [Murata](#) manufacturer:*

Other Similar products are found below :

[146-32.768-12.5-20-20/A](#) [1C209830BC0C](#) [1C210000BB0C](#) [2520-16.00-9-10-10/A](#) [2520-26.00-12-10-10/A](#) [2520-26.00-9-10-10/A](#) [3225-16.00-10-10-10/A](#) [3225-16.00-12-10-10/A](#) [3225-19.2-12-10-10/A](#) [3225-24.00-10-10-10/A](#) [3225-24.00-12-10-10/A](#) [3225-24.00-20-10-10/A](#) [3225-25.00-10-10-10/A](#) [3225-25.00-12-10-10/A](#) [3225-25.00-20-10-10/A](#) [3225-26.00-12-10-10/A](#) [3225-27.00-20-10-10/A](#) [3225-32.00-12-10-10/A](#) [3225-8.00-10-10-10/A](#) [3225-8.00-20-10-10/A](#) [3225-8.00-8-10-10/A](#) [416626X](#) [416627H](#) [436236G](#) [49MD-13.52127-7-10-10/B](#) [49MD-3.2768-20-10-10/B](#) [49MD-38.000-20-10-10/B](#) [49MD-4.433618-30-10-10/B](#) [49MD-4.825-9-10-10/B](#) [49MD-4.9152-20-10-10/B](#) [49MD-6.000-27-10-10/B](#) [49MD-6.063-12-10-10/B](#) [49MD-8.192-20-10-10/B](#) [49S-12.288-20-10-10/B](#) [49S-13.52127-10-10-10/B](#) [49S-13.52127-7-10-10/B](#) [49S-24.576-20-10-10/B](#) [49S-4.000-8-10-10/B](#) [49S-4.433618-30-10-10/B](#) [49S-4.9152-20-10-10/B](#) [49S-4.9152-30-10-10/B](#) [49S-7.680-18-10-10/B](#) [49S-8.00-20-10-20/A](#) [49S-8.192-20-10-10/B](#) [49S-9.81563-10-10-10/B](#) [49S-9.81563-20-10-10/B](#) [49SAT13560161050JY](#) [49SAT26000201040JY](#) [49SS-13.56-20-10-10/B](#) [49SS-16.00-20-10-10/B](#)