

Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of NFZ2MSD300SN10# from the official website of Murata Manufacturing Co., Ltd.


https://www.murata.com/en-global/products/productdetail?partno=NFZ2MSD300SN10%23

NFZ2MSD300SN10#

"#" indicates a package specification code.

In Production RoHS REACH

< List of part numbers with package codes > NFZ2MSD300SN10L





Features

1.2 max.

án mmù

1.6±0.2

 NFZ2MSD_SN is a noise filter designed for noise suppression of audio lines such as PC and AV equipment.
Can be used in high current circuits due to its low DC resistance.

3. Low magnetic flux leakage with magnetically shielded structure.

4. Meets 125°C maximum operating temperature.

Applications

Other Usage For general	
-------------------------	--

Packaging Information

Packaging	Specifications	Minimum Order Quantity
L	180mm Embossed Tape	3000

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





et

Sheet Co...

Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=NFZ2MSD300SN10%23

NFZ2MSD300SN10#

"#" indicates a package specification code.

Note: This datasheet may be out of date



Shape	SMD	Operating Temperature Range (Self- temperature rise is included)	-40°C to 125℃
Size Code (in mm)	2016		
Size Code (in inch)	0806		
Length	2.0mm		
Length Tolerance	±0.2mm		
Width	1.6mm		
Width Tolerance	±0.2mm		
Thickness	1.2mm		
Thickness Tolerance	max.		
Rated Current	3.7A		
Operating Temperature Range	-40℃ to 85℃		
Mass(typ.)	0.0188g		
Number of Circuit	1		
DC Resistance(max.)	33mΩ		
DC Resistance	33mΩ max.		
Impedance (at 10MHz)	30Ω		
Impedance (at 10MHz) Tolerance	±30%		

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date

Please download the latest datasheet of NFZ2MSD300SN10# from the official website of Murata Manufacturing Co., Ltd.


https://www.murata.com/en-global/products/productdetail?partno=NFZ2MSD300SN10%23

NFZ2MSD300SN10#

"#" indicates a package specification code.




INNOVATOR IN FLECT




Max. current (DC, AC) as function of product temperature (derating curve).





Impedance-Frequency Characteristics

Derating of Rated Current



Equivalent Circuit

3 of 3

Attention

 This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ferrite Beads category:

Click to view products by Murata manufacturer:

Other Similar products are found below :

CZB1EGTTP700P CZB1JGTTD101P CZB1JGTTD151P CZB1JGTTD601P CZB2AFTTD800P CZB2AGTTD601P CZB2BFTTE600P PE-0402FB121ST EMI0805R-11 NCB0603R301TR050F NCB0805A320TR050F NCB-H1206B680TR300F SMB2.5-1TR SMB2.5R-2 2943778301 CZB1EGTTP121P CZB1JGTTD102P CZB1JGTTD121P CZB1JGTTD221P CZB2AGTTD301P CZB2BFTTE601P 4221R-1 4221R-2 4221R-3 EMI0805R-2000 EMI0805R-600 SBY100505T-100Y-N NCB-GH0402D121TR060F NCB-H1812D125TR150F CZB2AGTTD102P NCB0402P301TR005F NCB0603R152TR030F NCB0805A121TR050F NCB3312K900TR500F NCB-H0805A221TR300F NCB-H1806E181TR300F NCB0402P300TR030F NCB0402P700TR050F NCB0805A102TR040F NCB1806E151TR020F NCB-H0603R121TR300F NCB-H0805A220TR600F NCB-H0805A390TR400F CIM21J252NE CZB2BFTTE121P EMI0805R-220 74279250 7427924 CZB1JGTTD202P ABUPDE160808121Y00