Note: This datasheet may be out of date

Please download the latest datasheet of PTGL09AR470M6B52B0 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=PTGL09AR470M6B52B0

PTGL09AR470M6B52B0










Appearance & Shape







Features

- 1. Best suited to meet the requirements for power supplies and motor protection. Error-free operations are assured by rush current.
- 2. Circuit is protected until current is turned off.
- 3. Restores the original low resistance value automatically once the overload is removed.
- 4. Non-contact design leads to long life and no noise.

 Durable and strong against mechanical vibration and shock because it is a solid element.



Applications

Limited Usage	Consumer Grade
Other Usage	1. Transformers 2. Transistors 3.
	Fluorescent Lamps



Packaging Information

Packaging	Specifications	Standard Packing Quantity
B0	Bulk(Bag)	300

1 of 3

Attentior

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Manufacturing Co., Ltd. http://www.murata.com/en-us/products/productdetail?partno=PTGL09AR470M6B52B0

Note: This datasheet may be out of date.

Please download the latest datasheet of PTGL09AR470M6B52B0 from the official website of Murata

PTGL09AR470M6B52B0



Specifications

Max. Voltage	125V
Hold Current(25°C)	120mA
Measure Condition of Hold Current	(at +25°C)
Hold Current (2)	90mA
Measure Condition of Hold Current (2)	(at +60°C)
Trip Current	200mA
Measure Condition of Trip Current	(at +25°C)
Trip Current(2)	230mA
Measure Condition of Trip Current(2)	(at -10°C)
Max. Current	0.5A
Resistance (25°C)	47Ω
Resistance Value Tolerance (at 25°C)	±20%
Curie Point(typ.)	120℃
Power Consumption(typ)	1.6W
Operating Temperature Range	-10°C to 60°C
D: Outer Dimension	10mm
Thickness	5.5mm
F: Lead Space	5mm
d: Lead Diameter	0.6mm
Shape	Lead
Mass	0.93g

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




http://www.murata.com/en-us/products/productdetail?partno=PTGL09AR470M6B52B0


PTGL09AR470M6B52B0




Product Data







Operating Time (Typical Curve)



Protective Threshold Current Range

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for PTC Thermistors category:

Click to view products by Murata manufacturer:

Other Similar products are found below:

PTCCL09H251FBE B59050D1100B40 B59406B0060A040 B59970C160A70 PTCCL05H630HTE B59346A1502P020 B59980C0160A070 PTCTT95R100GTE B59841C0135A070 PTCCL09H541DBE B59544A0120A020 NB-PTCO-050 B59535T1120A262 TFPT0603L3900FV LT7339002A2K0JTE NB-PTCO-142 TFPT0805L1800FV PTCEL13R501RBE B59725T1120A062 PTC305C2 B59011E0160A040 B59891C0135A070 B59052D1100A40 YQR100R060 YQS5751PTO YQS5856PTF YQS5930PTO YS5675 YS5918PTO YS5677 YQS5898PTO YQS5868PTF YQD100N1000 B59001Z999A99 B59002Z999A99 B59010D1135B40 B59219J130A20 B59606A110A62 B59830C120A70 B59005Z999A99 B59641A0135A062 B59874C120A70 B59960C160A70 PTGL10ARR27M1B51A0 YQD120N0025 PTGL12AS4R7K6B51B0 PTGL12AR100M6C01B0 PTGL09AR390N0B52A0 PTGL07AS2R7K2B51A0 PTGL07AS150K6B51B0