



## **NAC3FPX-ST-TOP**

Appliance outlet connector, screw terminals

The powerCON TRUE1 TOP is a locking 16 A true mains connector for outdoor applications. It replaces appliance couplers wherever a very rugged solution in combination with a locking device is needed in order to guarantee a safe power connection.

The powerCON TRUE1 TOP is a connector with breaking capacity (CBC), i.e. it can be connected or disconnected under load or live.

## **Features & Benefits**

- Heavy duty sealed power connector for harsh and demanding environment
- Uses high impact UV-resistant materials
- Lockable 16 A single phase connector (USA: 20 A)
- Extremely robust and reliable
- ENEC certified according to IEC 60320

- IP65, UL50E enclosure type4 rating in combination with SCNAC-FPX (mated or with closed cap)
- True mains connector with breaking capacity (CBC)
- Easy and reliable twist lock system
- Unique Neutrik cable retention
- UL498 certified



## **Technical Information**

Product	
Title	NAC3FPX-ST-TOP

Electrical	
Contact resistance	≤ 2 mΩ
Dielectric strength	4 kVdc / 2.8 kVac
Insulation resistance	$>$ 1 G $\Omega$ (after damp heat test)
Number of electrical contacts	2 + PE
Rating Europe	EN 60320-1: 16 A 250 V AC
Rating USA	UL 498: 20 A 250 V AC

Mechanical	
Lifetime	> 5000 mating cycles
Wiresize	2.5 mm <sup>2</sup>
Wiresize	14 AWG
Wiring	screw terminals

Material	
Contact plating	2 μm Ag
Locking element	Stainless steel
Shell	Polyamide (PA 6.6)
Contacts	Spring Copper (CuSn0.2)

Environmental	
Flammability	UL 94 V-0
Protection class	IP65, UL50E enclosure type4 rating in combination with SCNAC-FPX (mated or with closed cap)
Temperature range	- 30 °C - +80 °C

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for AC Power Plugs & Receptacles category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below:

739W-X2/03-BACK1 85447L 1301460003 1301520016 1301520008 14W07 B293000N2 15W07 22806 929662-1 27W75 27W81 962160-1 29W08MB 29W82 26W 26W76BLK 27W47 27W48 28W 28W81 29W47MB HDR-E14FG1+ 30-9717-25 43305 85266 5262DW 22801 22804 25W47 701W-15/06 701W-20/27 26W75 27T76 29T48 739W-20/XX 1301860536 1301520018 1301520021 1301520020 8210GY 29W48 3011-06 A52S22A 739W-X2/XX3 26T49 2707 26W47-W 1301450073 RECWALLBOXBA