





# NAC3FPX-TOP

Appliance outlet connector, 1/4" flat tab terminals

The powerCON TRUE1 TOP is a locking 16 A true mains connector for outdoor applications. It replaces appliance couplers wherever a very rugged solution in combination with a locking device is needed in order to guarantee a safe power connection.

The powerCON TRUE1 TOP is a connector with breaking capacity (CBC), i.e. it can be connected or disconnected under load or live.

#### NEUTRIK

#### **Features & Benefits**

- Heavy duty sealed power connector for harsh and demanding environment
- Uses high impact UV-resistant materials
- Lockable 16 A single phase connector (USA: 20 A)
- Extremely robust and reliable
- ENEC certified according to IEC 60320

- IP65, UL50E enclosure type4 rating in combination with SCNAC-FPX (mated or with closed cap)
- True mains connector with breaking capacity (CBC)
- Easy and reliable twist lock system
- Unique Neutrik cable retention
- UL498 certified

### NEUTRIK

## **Technical Information**

Product	
Title	NAC3FPX-TOP

Electrical	
Contact resistance	≤ 2 mΩ
Dielectric strength	4 kVdc / 2.8 kVac
Insulation resistance	> 1 G $\Omega$ (after damp heat test)
Number of electrical contacts	2 + PE
Rating Europe	EN 60320-1: 16 A 250 V AC
Rating USA	UL 498: 20 A 250 V AC

Mechanical	
Lifetime	> 5000 mating cycles
Wiresize	2.5 mm <sup>2</sup>
Wiresize	12 AWG

Material	
Contact plating	2 µm Ag
Locking element	Stainless steel
Shell	Polyamide (PA 6.6)
Contacts	Spring Copper (CuSn0.2)

Environmental	
Flammability	UL 94 V-0
Protection class	IP65, UL50E enclosure type4 rating in combination with SCNAC-FPX (mated or with closed cap)
Temperature range	- 30 °C - +80 °C

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for AC Power Plugs & Receptacles category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below :

 739W-X2/03-BACK1
 85447L
 1301460003
 1301520016
 1301520008
 14W07
 B293000N2
 15W07
 22806
 929662-1
 27W75
 27W81

 962160-1
 29W08MB
 29W82
 26W
 26W76BLK
 27W47
 27W48
 28W
 28W81
 29W47MB
 HDR-E14FG1+
 30-9717-25
 43305
 85266

 5262DW
 22801
 22804
 25W47
 701W-15/06
 701W-20/27
 26W75
 27T76
 29T48
 739W-20/XX
 1301860536
 1301520018
 1301520021

 1301520020
 8210GY
 29W48
 3011-06
 739W-X2/XX3
 26T49
 2707
 26W47-W
 1301450073
 RECWALLBOXBA
 1301490033