NEUTRIK



NAC3PX

Appliance inlet-outlet combination, 1/4" flat tab terminals

The powerCON TRUE1 is a locking 16 A true mains connector. It replaces appliance couplers wherever a very rugged solution in combination with a locking device is needed in order to guarantee a safe power connection.

The powerCON TRUE1 is a connector with breaking capacity (CBC), i.e. it can be connected or disconnected under load or live.

Features & Benefits

Appliance inlet-outlet combination for daisy-chaining

- True mains connector with breaking capacity (CBC)
- Easy and reliable twist lock system
- ENEC certified according to IEC 60320
- IP65 ingress protection in combination with SCNAC-PX (mated or with closed cap)
- Lockable 16 A single phase connector (USA: 20 A)
- Extremely robust and reliable
- UL recognized components



Technical Information

Product	
Title	NAC3PX

Electrical	
Contact resistance	≤ 3 mΩ
Dielectric strength	4 kVdc / 2.8 kVac
Insulation resistance	$> 0.1 \; G\Omega$ (after damp heat test IEC 68-2-30)
Number of electrical contacts	2 + PE
Rated current per contact	16 A rms (USA: 20 A)
Rated voltage	250 V ac

Mechanical	
Lifetime	> 5000 mating cycles
Wiresize	2.5 mm ²
Wiresize	12 AWG

Material	
Contact plating	2 μm Ag
Locking element	Stainless steel
Shell	Polyamide (PA 6.6)
Contacts	Spring Copper (CuSn0.2)

Environmental	
Flammability	UL 94 V-0
Temperature range	-30 °C - +80 °C

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for AC Power Plugs & Receptacles category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below:

739W-X2/03-BACK1 85447L 1301460003 1301520016 1301520008 14W07 B293000N2 15W07 22806 929662-1 27W75 27W81 962160-1 29W08MB 29W82 26W 26W76BLK 27W47 27W48 28W 28W81 29W47MB HDR-E14FG1+ 30-9717-25 43305 85266 5262DW 22801 22804 25W47 701W-15/06 701W-20/27 26W75 27T76 29T48 739W-20/XX 1301860536 1301520018 1301520021 1301520020 8210GY 29W48 3011-06 739W-X2/XX3 26T49 2707 26W47-W 1301450073 RECWALLBOXBA 1301490033