#### NEUTRIK



# NL4FXX-W-S

4 pole speakON cable connector, screw terminal assembly, chuck type strain relief **for cable diameters 6 to 12 mm** 

speakON connectors are the industry-standard for loudspeaker connections. This product series offers extremely reliable and robust cable connectors with a proven twist lock system. speakON cable connectors feature solid contacts with screw-type terminals including a stranded wire protection







#### **Features & Benefits**

• Up to 37 A rms current rating	• Unique Neutrik locking bushing and strain relief for cable diameters 6 mm to 12 mm
<ul> <li>IEC 61984 certified, thus accepted as a component of equipment acc. to IEC 62368-1</li> </ul>	<ul> <li>Superior NEUTRIK quality standard, extremely robust and reliable</li> </ul>
• Easy to assemble because the strain relief locks with the insert mechanically and aligns with the housing	• Easy and reliable twist lock system
• Ergonomic design with slip-proof two- component molded housing	<ul> <li>Improved kink protection by two- component bushing</li> </ul>

# Assembly instruction video for speakON FXX



## **Technical Information**

Product	
Title	NL4FXX-W-S
Connector series	speakON 4 pole

Electrical	
Contact resistance	≤ 2 mΩ
Dielectric strength	2.8 kVac
Insulation resistance	> 10 GΩ (initially)
Number of electrical contacts	4
Rating Europe	IEC 61984: 37 A 250 V AC
Rating USA	UL1977: 35 A 250 V AC
Rating Canada	CSA C22.2 No.182.3: 24 A 250 V AC
ATTENTION:	This product is strictly not intended for use as an AC mains or power supply connector! CAUTION: NOT FOR INTERRUPTING CURRENT

Mechanical	
Cable O.D.	6 – 12 mm
Lifetime	typically 5'000 mating cycles
Wiresize (mm²)	1.5 – 4 mm²
Wiresize (AWG)	17 – 11 AWG
Locking device	Twist lock
Termination	screw type terminals



#### Material

Material	
Contact plating	Ag
Contacts	Copper Alloy
Insert	Polyamide (PA6.6)
Locking element	Zinc diecast
Shell	Polyamide (PA6) / TPE
Strain relief	Polyketone
Bushing	Polypropylene / TPE

Environmental	
Temperature range	-33 °C to +80 °C
Protection class	IP20
Flammability acc. to UL94	V-0

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Loudspeaker Connectors category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below :

HFRP-01 LRX FE6935 EP-3-14 EP-4-11P EP-4-11PB EP-4-12 EP-6-11P EP-6-12 EP-8-12 EP-8-12B NA4MP-F CC-212 CC-226 FM1255 FM1275 FM1285 SP-2-MDH SP-2-MDV SP-4-MDHT NL4MMX NL4MPR NL4MP-ST NL8FC NLT4FP-BAG NLT8MP-BAG SP-4-MDV EP-8-14B EP-8-13P EP-8-11P EP-6-14B EP-6-13P EP-5-14 EP-4-13P HPCC4FT NL2MD-V NL4FX-5 NL4MD-H NL4MD-V-2 NL4MP-UC NLT4MP SCNLT CP303010 CP303010X HFRP-01B AP-5-14 EP-4-12B SP-4-FNSL SP-4-FNL SP-2-FSG