#### NEUTRIK



# NRJ6HM-1

1/4" stereo jack, metal nose with efficient chassis ground connection, T+R+S normalling contact

Horizontal PCB panel mount jack featuring high board packing density by mounting on 15.88 mm (0.625 inch) minimum centers in rows or arrays. Mounting hardware must be ordered separately.

#### **Features & Benefits**

- High boarded packing densities
- A retentions spring ensures optimum grip on inserted plugs, avoiding the chance of lost connection
- Meeting the requirements of EMC protection by efficient chassis grounding system
- T, R, S normalling contact

### NEUTRIK

### **Technical Information**

Product	
Title	NRJ6HM-1
Connection Type	Jack
Gender	female

Electrical	
Contact resistance	< 10 mΩ
Contact resistance	< 25 mΩ
Dielectric strength	1 kVdc
Insulation resistance	$\geq$ 1 G $\Omega$ @ 500 V dc
Rated current per contact	3 A
Rated current per contact	0,50 A @ 50 V (Switch contact)
Switching contacts	3

Mechanical	
Insertion force	< 30 N
Withdrawal force	> 10 N
Lifetime	> 10000 mating cycles
Panel thickness	< 3 mm
Wiresize	
Wiring	Horizontal PCB mount
Locking device	Retention spring
Mounting direction	Rear mounting
Chassis shape	10 mm

Material	
Cap / Nut / Washer	PA 6.6 15% GR
Contact plating	2 µm Ag
Contacts	Bronze (CuSn6)
Shell	Polyamide (PA 6.6 30 % GR) UL 94 V0

## NEUTRIK

Environmental	
Standard compliance	EIA RS 453, IEC 60603-11
Solderability	Complies with IEC 60068-2-20
Temperature range	-25 °C to +70 °C

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Phone Connectors category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below :

 M444B
 6J1041A
 R4F
 E12BPKG
 ECP4PKG
 161-3502L-E
 MT333X
 171-0350-EX
 171-101A-EX
 171-3325-EX
 176S
 NC3MG-V

 NYS228G
 P10834
 P2380
 P2381X
 P2411X
 P2412
 P2724
 JM2PB-AU BULK
 9144
 S2674
 280L
 163-158N-2-E
 171-3308-EX
 171-3500-E

 2501FT
 CMT335
 M10662
 330Q
 RJ5VI-S
 40116
 TM1R-AU
 TM2PBMJ-AU
 TM2PJ-AU
 BULK
 4803.1351
 49201
 49205

 TS3PBJ-AU
 TS3PBMJ-AU
 TT32BX
 54B
 40112
 40205
 415
 XMT332B
 52170017-331
 570
 NM3