

## RCX3F-Z

3 pole female XLR cable connector with IP65 dust-water proof design.



### Features & Benefits

- IP65 rating provides outdoor protection under mated condition
- Chrome & Black plated with fashionable finish and better abrasion performance
- UL94 V-0 rated materials

### Article Variations

Article Name	Details	Packaging
RCX3F-Z-000-0	Chrome plated housing, tin plated contacts	BULK
RCX3F-Z-001-0	Black plated housing, tin plated contacts	BULK
RCX3F-Z-002-0	Black plated housing, gold plated contacts	BULK

## Technical Information

### Product

<b>Title</b>	RCX3F-Z
<b>Connection Type</b>	XLR
<b>Gender</b>	female

### Electrical

<b>Contact resistance</b>	$\leq 5 \text{ m}\Omega$
<b>Dielectric strength</b>	1,5 kVdc
<b>Insulation resistance</b>	$> 10 \text{ G}\Omega$ (Initial)
<b>Rated current per contact</b>	16 A
<b>Rated voltage</b>	$< 50 \text{ V}$

### Mechanical

<b>Cable O.D.</b>	5.0 - 8.0 mm
<b>Insertion force</b>	$\leq 60 \text{ N}$
<b>Withdrawal force</b>	$\leq 60 \text{ N}$
<b>Lifetime</b>	$> 1000$ cycles
<b>Wiresize</b>	Max 1.5 mm <sup>2</sup>
<b>Wiresize</b>	Max 16 AWG
<b>Wiring</b>	Solder contacts
<b>Locking device</b>	Latch lock

Material	
<b>Bushing</b>	Polyamide
<b>Contact plating</b>	Tin (-000 & - 001) / AU (-002)
<b>Contacts</b>	Bronze
<b>Insert</b>	Polyamide (UL94-V0)
<b>Locking element</b>	Zinc diecast (latch)
<b>Shell</b>	Zinc diecast
<b>Shell plating</b>	Chrome (-000) / Black (-001 & -002)
<b>Strain relief</b>	Polyamide
<b>Sealing jacket</b>	Rubber

Environmental	
<b>Flammability</b>	UL 94-V0
<b>Protection class</b>	IP65 (Mated)
<b>Standard compliance</b>	IEC 61076-2-103
<b>Solderability</b>	Complies with IEC 68-2-20
<b>Temperature range</b>	-20 °C to +70 °C

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [XLR Connectors](#) category:*

*Click to view products by [Neutrik](#) manufacturer:*

Other Similar products are found below :

[707-0300](#) [AAA4FWZ](#) [AAA4MWZ](#) [AC3MMB-AU BULK](#) [AC5FPZB](#) [AC6AFDZV](#) [D4FB](#) [DE4MW](#) [E3MBAUSW](#) [99.265.0400.0](#) [A3F04](#)  
[AC3FG](#) [AC4-FCP](#) [AQG4F](#) [2504FP](#) [30-498-2](#) [R6MZ](#) [3FD-V-I-B](#) [3MD-V-I-B](#) [TA3MWX](#) [TA5MLWX](#) [TRASM4M1X](#) [TRASM7M1X](#) [ML1](#)  
[3FD-L-I-\(O\)](#) [D6FDB](#) [DB25FTRS](#) [DHNFBAG-MAD](#) [DHNFBAG-O](#) [DHNMBAG](#) [E3FBAUSW](#) [E3FSW](#) [E3MSW](#) [SR03](#) [TA4FLWX](#)  
[TA6FLWX](#) [TRAPC8M1X](#) [TRASM6M1X](#) [WP2S4P](#) [WP1S1](#) [WP1B2](#) [TA5FLWX](#) [NC3FEZY-P](#) [NC3FG-V](#) [NC6FSD-LX](#) [NC6MSD-LX](#)  
[NCJ6FK-V](#) [NCXX-PROMO](#) [NA2FPMM/W](#) [NC3FD-L](#)