

RT3MC-B

3 pole male TINY xlr cable connector



Article Variations

Article Name	Details	Packaging
RT3MC-B	Black plated housing, gold plated contacts	Plastic Bag
RT3MC-B-D	Black plated housing, gold plated contacts	BULK

Technical Information

Product

Title	RT3MC-B
Connection Type	XLR

Electrical

Contact Resistance	<10 mΩ
Insulation Resistance	>1 GΩ
Dielectric strength	>500 V rms
Rated current per contact	5 A

Mechanical

Cable O.D. range	2.0-4.5 mm
Lifetime	>1000 Mating Cycles
Wiresize	0.22 mm ²
Wiresize	24 AWG

Material

Housing	Zinc
Tube	Aluminum
Pin	Brass
Plastic Body	PA6+30%GF
Ground Contact	Bronze
Chuck	POM
Boot	PC/ABS+TPU
Housing	Nickel Plating
Tube	Black Plating
Pin	Gold Plating
Ground Contact	Tin and Cer

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [XLR Connectors](#) category:

Click to view products by [Neutrik](#) manufacturer:

Other Similar products are found below :

[707-0300](#) [PPCB-H](#) [A3F01](#) [A3M01](#) [QGP3F](#) [AA3FL](#) [AAA4FWZ](#) [AAA4MWZ](#) [AC3-MIC](#) [AC4-MIC](#) [AC5FPZB](#) [AC6AFDZV](#) [D4FB](#)
[DE4MW](#) [DHNF-BAG](#) [E3MBAUSW](#) [NA3MP-UW](#) [NC3FBHR1-0](#) [NC3FD-H-0](#) [NC3FK-V](#) [NC3FXY-B](#) [NC3MK-V](#) [NC3MXY](#) [NC5FX-](#)
[HD-B](#) [NC6MSX-BAG](#) [SL05](#) [99.265.0400.0](#) [A3F04](#) [AC3FG](#) [AC4-FCP](#) [AC4FPZ](#) [AQG4F](#) [2504FP](#) [30-498-2](#) [R6MZ](#) [3FD-H-I](#) [3FD-H-I-\(0\)](#)
[3FD-H-I-B](#) [3FD-V-I](#) [3FD-V-I-\(0\)](#) [3FD-V-I-B](#) [3MD-H-I-B](#) [3MD-V-I](#) [3MD-V-I-B](#) [TA01](#) [TA3MWX](#) [TA5MLWX](#) [MINICCF8](#)
[TRASM4M1X](#) [TRASM7M1X](#)