

RT4MC-B

4 pole male TINY xlr cable connector



Article Variations

Article Name	Details	Packaging
RT4MC-B	Black plated housing, gold plated contacts	Plastic Bag
RT4MC-B-D	Black plated housing, gold plated contacts	BULK

Technical Information

Product	
Title	RT4MC-B
Connection Type	XLR

Electrical	
Contact Resistance	<10 mΩ
Insulation Resistance	>1 GΩ
Dielectric strength	>500 V rms
Rated current per contact	< 5 A

Mechanical	
Cable O.D. range	2.0-4.5 mm
Lifetime	>1000 Mating Cycles
Wiresize	0.22 mm ²
Wiresize	24 AWG

Material	
Housing	Zinc
Tube	Aluminum
Pin	Brass
Plastic Body	PA6+30%GF
Ground Contact	Bronze
Chuck	POM
Boot	PC/ABS+TPU
Housing	Nickel Plating
Tube	Black Plating
Pin	Gold Plating
Ground Contact	Tin and Cer

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [XLR Connectors](#) category:

Click to view products by [Neutrik](#) manufacturer:

Other Similar products are found below :

[HA16PRQ-3SE\(71\)](#) [AAA4FWZ](#) [AAA4MWZ](#) [AC5FPZB](#) [DE4MW](#) [E3MBAUSW](#) [99.265.0400.0](#) [AC4-FCP](#) [AQG4F](#) [3FD-V-I-B](#) [3MD-V-I-B](#)
[TA01](#) [TA3MWX](#) [TA5MLWX](#) [TRASM4M1X](#) [ML1](#) [3FD-L-I\(O\)](#) [DHNF-BAG-O](#) [E3FBAUSW](#) [E3FSW](#) [TA4FLWX](#) [TA6FLWX](#) [WP2S4P](#)
[WP1S1](#) [WP1B2](#) [TA5FLWX](#) [NC3FEZY-P](#) [NC3FG-V](#) [NC6FSD-LX](#) [NC6MSD-LX](#) [NCJ6FK-V](#) [NCXX-PROMO](#) [NA2FPMM/W](#) [NC3FD-L](#)
[NC3FD-L-0-1](#) [NC3FX-1-D](#) [NC3MX-1-D](#) [NC3MXY-B](#) [NC5FDM3-V-BAG](#) [SL04](#) [3FD-V-I-0](#) [AC3-FIC](#) [E3FBSW](#) [E3MBSW](#) [AC6AMJ-AU](#)
[TRG4MX](#) [352AX](#) [TRGS4F](#) [TRG4M](#) [AC5MJ BULK](#)