



Mono 2 pole









## **Article Variations**

Article Name	Details	Packaging
RTP2C	nickel shell, nickel plated contacts	Plastic Packaging
RTP2C-D	nickel shell, nickel plated contacts	BULK
RTP2C-B	black shell, gold plated contacts	Plastic Packaging
RTP2C-B-D	black shell, gold plated contacts	BULK
RTP2C-BAG	black shell, nickel plated contacts	Plastic Packaging
RTP2C-BAG-D	black shell, nickel plated contacts	BULK



## **Technical Information**

Product	
Title	RTP2C
Connection Type	Plug

Electrical	
Contact Resistance	≤10 mΩ
Insulation Resistance	>200 MΩ(Initial)
Dielectric Strength	500V dc 50HZ

Mechanical		
Insertion and Withdrawal Force	≤60 N	
Lifetime	>1,000 Mating Cycles	
Cable O.D.	2 - 4 mm	
Wiresize	0.24 mm <sup>2</sup>	
Wiresize	24 AWG	

Material		
Sleeve Assembly	Brass	
Sleeve	Brass	
Housing	Zinc	
Sleeve Assembly	Nickel Plating	
Sleeve	Nickel Plating	
Housing	Nickel Plating	

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Phone Connectors category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below:

M444B 6J1041A R4F E12BPKG ECP4PKG 161-3502L-E MT333X 171-0350-EX 171-101A-EX 171-3325-EX 176S NC3MG-V NYS228G P10834 P2380 P2381X P2411X P2412 P2724 JM2PB-AU BULK 9144 S2674 280L 163-158N-2-E 171-3308-EX 171-3500-E 2501FT CMT335 M10662 330Q RJ5VI-S 40116 TM1R-AU TM2PBMJ-AU TM2PJ-AU TM2PJ-AU BULK 4803.1351 49201 49205 TS3PBJ-AU TS3PBMJ-AU TT32BX 54B 40112 40205 415 XMT332B 52170017-331 570 NM3