Ordering a market-ready enclosure® is made fast and affordable with our complete in-house capabilities. New Age provides machined openings to fit your PCB, pad printing for your graphics, custom enclosures, custom colors, final assembly, testing and fulfillment services to save you additional time and money.

Ask your representative for a free quote today 805-595-1310.

Fast and Affordable Customization

ISO quality off-the-shelf to market-readv[©]


CNC Modifications
Pad Printing
Colored Resins
EMI/RF Shielding
Custom Enclosure
Assembly & Testing



www.NewAgeEnclosures.com 4330 Santa Fe Road • San Luis Obispo, CA 93401 • T 805.595.1310 • F 805.595.1024

NOTES: UNLESS OTHERWISE SPECIFIED


- 1. CORNERS DRAWN SHARP TO BE R.005 MAXIMUM.
- 2. EXTERIOR SURFACE TEXTURE TO BE LIGHT EDM FINISH. EQUIVELANT TO MT-11010.
- 3. INTERIOR SURFACE TEXTURE: NONE
- 4. ALL INSIDE RADII .010R. UNLESS OTHERWISE SPECIFIED.
- 5. ALL EXTERNAL DIMENSIONS AFFECTED BY THE DRAFT APPLY AT THE LARGE END OF THE FEATURE, AND ALL INTERNAL FEATURES AFFECTED BY THE DRAFT APPLY AT THE SMALL END OF THE FEATURE UNLESS OTHERWISE SPECIFIED.
- 6. 1 DEGREES DRAFT IN THE DIRECTION OF PULL IS PERMISSIBLE UNLESS OTHERWISED SPECIFIED.
- 7. THIS ENCLOSURE IS A PRESS FIT ASSEMBLY. FOR PERMANENT CLOSURE: A DROP ADHESIVE OR ULTRASONIC WELDING IS REQUIRED.
- 8. MATERIAL / COLOR: ABS PLASTIC IS STANDARD IN BLACK OR WHITE. CUSTOM MATERIALS AND COLORS ARE AVAILABLE UPON REQUEST FOR QUOTE.
- 9. PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF IT'S FIT ARE THE SOLE RESPONSIBILITY OF EACH OWNER.
- 10. THE GATE REMNANT FOR THIS ENCLOSURE IS LOCATED IN THIS POSITION TO MINIMIZE ANY COSMETIC IMPACT. IT IS HOWEVER VISIBLE AND VARIES IN SIZE / SHAPE. IT IS EASILY REMOVED WITH CLIPPERS. IF YOU WOULD LIKE NEW AGE TO CLIP THIS FOR YOU, PLEASE ASK YOUR SALES REPRESENTIVE FOR A FREE QUOTE.



| P201005(x) CONFIGURATIONS | | | | | | | | | |
|----------------------------------------|----|----|------|------|--|--|--|--|--|
| | -S | -U | -625 | -62U | | | | | |
| 201005 COVER | 1 | | 1 | | | | | | |
| 201005 COVER w/ USB OPENING | | 1 | | 1 | | | | | |
| 201005 BASE | 1 | | | | | | | | |
| 201005 BASE (.062" PCB) | | | 1 | | | | | | |
| 201005 BASE w/ USB OPENING | | 1 | | | | | | | |
| 201005 BASE (.062" PCB) w/ USB OPENING | | | | 1 | | | | | |


| 3 | 201005_PCB | 201005 PCB - REFERENCE | .031" THICK | CUSTOMER SUPPLIED | 1 | | |
|-------------------|--------------|--------------------------|-------------|-------------------|------|--|--|
| 2 | 201005_COVER | 201005U COVER - STANDARD | ABS | BLACK or WHITE | 1 | | |
| 1 | 201005_BASE | 201005U BASE - STANDARD | ABS | BLACK or WHITE | 1 | | |
| ITEM | FILE NAME | DESCRIPTION | MATERIAL | COLOR | QTY. | | |
| BILL OF MATERIALS | | | | | | | |


| | | | REVISION | | |
|------|----------|--------|-------------------------------------------|-----------|----------|
| REV. | DRAWN BY | ECO No | DESCRIPTION | DATE | APPROVED |
| 1 | M BOYER | | PRELIMINARY RELEASE | 21-May-07 | D.C. |
| 2 | M BOYER | | ADD WIDE PCB CONFIGURATION | 06-Jun-07 | D.C. |
| 3 | M BOYER | | MOVE PCB POSTS OUTWARD .03 PER SIDE | 30-Jul-07 | D.C. |
| 4 | M BOYER | | UPDATE TO AS BUILT | 12-0ct-07 | D.C. |
| 5 | M BOYER | 0208 | UPDATE FORMAT AND RELEASE | 04-Apr-08 | D.C. |
| 5.1 | M BOYER | 0710 | UPDATE FORMAT | 30-Mar-10 | D.C. |
| 5.2 | M BOYER | 0810 | ADD NOTE 10 | 08-Apr-10 | D.C. |
| 6.0 | M BOYER | 2910 | UPDATE BOARD THICKNESS INFORMATION | 16-Aug-10 | D.C. |
| 6.1 | M BOYER | 3010 | DOCUMENT CHANGE | 24-Aug-10 | D.C. |
| 6.2 | M BOYER | 2711 | CHANGE ASSEMBLY DIMENSIONS TO "PRESS FIT" | 21-0ct-11 | D.C. |
| 7.0 | M BOYER | 1913 | INCLUDE .062" PCB OPTION | 09-Apr-13 | D.C. |
| 7.1 | R CRUZ | 8713 | REMOVE .062" COVER OPTION | 18-Dec-13 | |




| | 9 | Λ., | 1001 - 1000 | / //.// | | | | | | |
|---|-------------------------------------------------------------------------------------------------------------------|----------|-------------|---------|--------|----------------------------------------------------------------------------------------|--------------|------|--------|---------|
| | DO NOT SCALE DRAWING | NEW | AGE E | NCLOS | URES | 4330 Santa Fe Road San Luis Obispo, CA. 93401 ph. (805) 595-1310 fax (805) 595-1024 | | | | |
| | NOTICE: THE INFORMATION AND DATA CONTAINED HEREIN IS CONSIDERED | Custome | er's Par | t No: | 201005 | www.newageenclosures.com | | | , | |
| | PROPRIETARY TO ALLTEC INTEGRATED MFG INC & SHALL REMAIN THE EXCLUSIVE | APPROVAL | BY | DATE | | CTANDARD LICE DEVICE | | ^F | | |
| _ | PROPERTY OF ALLTEC INTEGRATED MFG INC THE HOLDER WILL ASSUME CUSTODY AND | CHECK | | | | STANDARD - USB DEVICE PXX-201005X ASSEMBLY | | | | CE |
| | CONTROL THAT THIS DOCUMENT WILL NOT BE COPIED, REPRODUCED, OR | ENG. | | | | | | | | V |
| | DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLTEC INTEGRATED MFG INC POSSESSION OF THIS DOCUMENT DOES | SCALE | | AS NOT | ED | | XX 201003X | . 73 | JEMBE | . ! |
| | NOT CONSTITUTE A GRANT TO MANUFACTURE ANY ITEMS. | DRAWN BY | | | | SIZE | DRAWING NAME | | SHEET | REV.DOC |
| | © 2013 | M BOYER | 2 | 1-May- | 97 | Α | 201005_R7_1 | | 1 OF 6 | 7.1 |

FNCI COLIDEC










201005 PCB - CUSTOMER SUPPLIED

PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF IT'S FIT ARE THE SOLE RESPONSIBILITY OF THE OEM.








TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. X.XX = .015 X.XXXX = .001 X.XXX = .010 X.X° = 1° NEW AGE ENCLOSURES 4330 Santa Fe Road San Luis Obispo, CA. 93401 ph. (805) 595-1310 Customer's Part No: www.newageenclosures.com APPROVAL BY DATE STANDARD - USB DEVICE CHECK ENG. PXX-201005X ASSEMBLY SCALE AS NOTED DRAWN BY SIZE DRAWING NAME REV.DOC A 201005_R7_1 7.1 M BOYER 5 OF 6 21-May-07

** = RECOMMENDED BOARD THICKNESS IS .031" or .062" THICK, OPTIONS ARE AVAILABLE TO ALLOW OTHER THICKNESSES. ASK YOUR SALES REP FOR A QUOTE.

2nd OPERATION DETAILS

New Age Enclosures DELIVERS YOUR ENCLOSURE MARKET-READY WITH IN-HOUSE CNC MACHINING, PAD PRINTING, ASSEMBLY, AND FULFILLEMENT.

ALL SURFACES AND AREAS ARE AVAILABLE FOR CNC ALTERATION BY New Age Enclosures CALL (805) 595-1310 FOR PRICING AND SCHEDULE. THE INSIDE RADIUS OF ANY MACHINED FEATURES SHOULD BE NO SMALLER THAN .031"



| NCES: UNLESS OTHERWIS | TOI EDANCE | | ABS, BLACK | ER - <i>P</i> | 35U-XXX COVI | PXX-20100 | |
|----------------------------------------------------|------------|---------|-------------|---------------|---------------|-------------|---------|
| DIMENSIONS ARE IN U.S. INC X.XX = .015 X.XXXX = | | PROGRAM | ORIENTATION | FIXTURE | CUTTER | DESCRIPTION | STEP NO |
| X.XXX = .010 X.X° | | | - | 103 | T2 = .062" EM | - | 1 |
| omer's Part No: | - | | - | 103 | T2 = .062" EM | - | 2 |
| | APPROVAL | | BS, BLACK | E - A | 05U-XXX BAS | PXX-2010 | |
| | ENG. | PROGRAM | ORIENTATION | FIXTURE | CUTTER | DESCRIPTION | STEP NO |
| AS NOTE | SCALE | | - | 103 | T2 = .062" EM | - | 3 |
| | M BOYER | | - | 103 | T2 = .062" EM | - | 4 |
| | | | | | | | |

TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. X.XX = .015 X.XXXX = .001 X.XXX = .010 X.X° = 1° 4330 Santa Fe Road ph. (805) 595-1310 San Luis Obispo, CA. 93401 fax (805) 595-1024 NEW AGE ENCLOSURES

> SIZE DRAWING NAME A 201005_R7_1

AS NOTED

21-May-07

www.newageenclosures.com

STANDARD - USB DEVICE

PXX-201005X ASSEMBLY 7.1

6 OF 6

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Enclosures, Boxes & Cases category:

Click to view products by New Age manufacturer:

Other Similar products are found below:

585-R-WH-PK M-10-PLATED 60221-01 60566-01-000 HPL-9VB BATT DOOR M18-PLTD M-21-PLATED 63310-01-000 6711GSKT
71884-29-028 LH45-100 Black 72868-510-000 CNS-0000 Black 72883-510-000 CNS-0101 Black 72906-510-000 CNS-0407 Black 73092510-000 CNM-0101 Black 73105-510-000 CNL-0101 Black 73108-510-000 CNL-0303 Black 73395-510-039 CNS-0006 Bone 74257-510-000
CNL-0004 MDC-1183-PLAIN-ALUM MDC-1183-PTD MDC-13104-PTD MDC-321-PTD MDC-973-PTD 76 77153-01-028 FLX6030
83535-01-508 90026-501-000 PS36-200 116-508 120-407 120-910 127-908 130-008 1301170079 1322GSKTEP 1325GSKT3 138-PLAIN
1434-1210 EAS-500 (BLACK ANO) 1804RP-RB-PK 190-005 2202307 KAB3321 BLACK KAB3421 2697466 S52213 2901107 2901123
2901699 A0645271 A20P20