

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. CORNERS DRAWN SHARP TO BE R.005 MAXIMUM.
- EXTERIOR SURFACE TEXTURE TO BE EQUIVALENT TO MT-11020 WITH MT-11010 ON ALL RECESSES AND FINGER GROOVES. TEXTURE ON ENCLOSURE WILL VARY FROM TIME TO TIME AS THE TOOL WEARS AND IT BECOMES NESSESARY TO REAPPLY.
- 3. INTERIOR SURFACE TEXTURE TO BE: B1 OR EQUIVALENT.
- 4. ALL INSIDE RADII .010R. UNLESS OTHERWISE SPECIFIED.
- 5. ALL EXTERNAL DIMENSIONS AFFECTED BY THE DRAFT APPLY AT THE LARGE END OF THE FEATURE, AND ALL INTERNAL FEATURES AFFECTED BY THE DRAFT APPLY AT THE SMALL END OF THE FEATURE UNLESS OTHERWISE SPECIFIED.
- ONE DEGREE DRAFT IN THE DIRECTION OF PULL IS PERMISSIBLE UNLESS OTHERWISED SPECIFIED.
- MATERIAL / COLOR: ABS PLASTIC IS STANDARD IN BLACK OR WHITE. CUSTOM MATERIALS AND COLORS ARE AVAILABLE UPON REQUEST FOR QUOTE. ALTERNATE RESINS HAVE DIFFERENT SHRINK RATES, AND WILL EFFECT DIMENSIONS.
- 8. PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF ITS FIT ARE THE SOLE RESPONSIBILITY OF EACH CUSTOMER.
- 9. ASSEMBLY SCREWS FOR THE ENCLOSURE ARE INCLUDED.
- 10. THIS DRAWING IS BASED ON A SOLID MODEL, AND IS FURTHER DEFINED BY THE SOLID MODEL FILE.
- 11. ALLOWABLE FLASH: 0.010 MAX.
- 12. ALL EJECTOR PIN MARKS TO BE WITHIN 0.010" OF FLUSH, PROTRUDING OR BELOW FLUSH.
- 13. TRIM GATE WITHIN 0.030" OF FLUSH.




			R	Е	V	I	S	I	0	N		
REV.	DRAWN BY	ECO No	DESCRIPTION								DATE	APPROVE
Α	M BOYER	PDCL 1933	PRELIMINARY R	LEASE							2020-Nov-10	J.T.
В	M BOYER		REVISE COLORS	AND N	OTES						2021-Jan-25	J.T.
С	M BOYER		FLIP HATCH AND	INCR	EASE F	RECESS	DEPTH P	ER REV	EW 210	824	2021-Aug-25	J.T.
D	M BOYER		CLOSE GAP AT I	HATCH	PER ME	ETING	210907				2021-Sep-07	J.T.
E	M BOYER		CLARIFY BATTE	RY HOL	DER IN	IFORMAT	ION				2021-Sep-08	J.T.
F	M BOYER		INCLUDE TEXTU	RE SHE	ET						2021-Nov-09	





7	SCREW_HILO-NO4X375	#4 HiLo x .375" SCREW	ZINC PLATED	INCLUDED	6			
6	BATTERY_AA	"AA" SIZE BATTERY	REFERENCE	CUSTOMER SUPPLIED	4			
5	BATTERY-HOLDER_2477	4 AA BATTERY HOLDER	REF: KEYSTONE 2477	CUSTOMER SUPPLIED	1			
4	854413_PCB	854413 PCB - REFERENCE	.062" THICK	CUSTOMER SUPPLIED	1			
3	854413_HATCH	854413 HATCH - STANDARD	ABS	BLACK or WHITE	1			
2	854413_COVER	854413 COVER - STANDARD	ABS	BLACK or WHITE	1			
1	854413_BASE	854413 BASE - STANDARD	ABS	BLACK or WHITE	1			
ITEM	FILE NAME	DESCRIPTION	MATERIAL	COLOR	QTY.			
	DILL OF MATERIALS							


BILL OF MATERIALS

	THIRD ANGLE PROJECTION	DIME X.X	S: UNLESS OTHERW NSIONS ARE IN U.S. IX = .015 X.XXXI XXX = .010 X.X	NCHES. K = .001	NEW AGE ENCLESURE!				
_	DO NOT SCALE DRAWING	NEW	AGE ENCLO	SURES	2246	ta Maria, CA.	CA. 93455		
	NOTICE: THE INFORMATION AND DATA CONTAINED HEREIN IS CONSIDERED	Custome	er's Part No:	854413	ph. (855) 462-3625 fax (805) 5 www.newageenclosures.com			1024	
Ī	PROPRIETARY TO ALLTEC INTEGRATED MFG INC & SHALL REMAIN THE EXCLUSIVE	APPROVAL	BY DATE			CTRONIC HANDHELD	CTAN		
_	PROPERTY OF ALLTEC INTEGRATED MFG INC THE HOLDER WILL ASSUME CUSTODY AND	CHECK			]	CTRONIC HANDHELD	_	IDAKD	
	CONTROL THAT THIS DOCUMENT WILL NOT BE COPIED, REPRODUCED, OR	ENG.			]	SXX-854413-	- XXX		
	DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLTEC INTEGRATED MFG INC	SCALE	AS NO	TED		3/// 034413	7070		
_	POSSESSION OF THIS DOCUMENT DOES NOT CONSTITUTE A GRANT TO MANUFACTURE ANY ITEMS.	DRAWN BY	•		SIZE	DRAWING NAME	SHEET	REV.DOC	
	© 2021	M BOYER	2020-N	ov-10	Α	854413_RF	1 OF 9	F	












4xAA SERIES BATTERY HOLDER - CUSTOMER SUPPLIED


ASSEMBLY REFERENCES AN OFF-THE-SHELF COMPONENT, THIS IS A RECOMMENDATION ONLY.
FINAL SIZES AND VERIFICATION OF ITS FIT ARE THE
SOLE RESPONSIBILITY OF THE OEM.
REFERENCE: KEYSTONE 2477








X.X X.X	8: UNLESS OTHERWISE SPECIFIED NISIONS ARE IN U.S. INCHES.  X = .015	NEW AGE ENCLSSURES 2240 South Thornburg Street Santa Maria, CA. 93451						
Custome	r's Part No: 854413	ph. (855) 462-3625 fax (805) 595-1024 www.newageenclosures.com						
APPROVAL	BY DATE		CTRONITO HANDHELD	C = 4.4				
CHECK		լեևե	CTRONIC HANDHELD	- SIAN	IDAKD			
ENG.		1	SXX-854413-	XXX				
SCALE	AS NOTED		3// 0344I3	////				
DRAWN BY M BOYER	2020-Nov-10	SIZE A	DRAWING NAME 854413_RF	SHEET 6 OF 9	REV.DOC			





TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES.  X.XX = .015 X.XXXX = .001  X.XXX = .010 X.X° = 1°				EW AGE NCLESL	JRE	S				
NEW AGE ENCLOSURES			2246	South Thornburg Street Sant n. (855) 462-3625 fax	a Maria, CA.	93455				
	Custome	er's Part No: 854413	www.newageenclosures.com							
	APPROVAL	BY DATE		CTRONIC HANDLELD	CTAN	ID 4 D D				
	CHECK		]	CTRONIC HANDHELD	- STAN	IDAKD				
	ENG.			SXX-854413-	XXX					
	SCALE	AS NOTED		3AA 034413	////					
	DRAWN BY M BOYER	2020-Nov-10	SIZE A	DRAWING NAME 854413_RF	SHEET 7 OF 9	REV.DOC				
	M BOYER	2020-Nov-10	А	854413_RF	7 OF 9	L				


#### 854413 PCB - CUSTOMER SUPPLIED PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF ITS FIT ARE THE SOLE RESPONSIBILITY OF THE OEM. **%** Š 1.625 [41,275] 2.050 [52,07] 2.050 [52,07] .000 \_ [0] (4.100)[104,14] (.400 CHAMFER) [10,16] 2.180 [55,372] Ö O Ó 1.780 0 [45,212] 1.750 2x [44,45] .062 [1,57] R.183 [4,64] KEÉP OUT .0004 (4.370)[0] [111] $\emptyset$ .250 [6,35] TOWARD-COVER O O 0 1.750 2x 1.780 [44,45] [45,21] 4-1--4-1--2.821 [71,65] SCALE 0.500 .641 OPTIONAL EXTENSION [16,27] TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. X.XX = .015 X.XXXX = .001 X.XXX = .010 X.X° = 1° NEW AGE ENCLOSURES 2240 South Thornburg Street ph. (855) 462-3625 www.newageenclosures.com Customer's Part No: APPROVAL BY DATE ELECTRONIC HANDHELD - STANDARD CHECK ENG. SXX-854413-XXX SCALE AS NOTED DRAWN BY SIZE DRAWING NAME SHEET REV.DOC A 854413\_RF 8 OF 9 M BOYER 2020-Nov-10

### 854413 2nd OPERATION DETAILS

NEW AGE ENCLOSURES DELIVERS YOUR ENCLOSURE MARKET-READY WITH IN-HOUSE CNC MACHINING, PAD PRINTING, ASSEMBLY, AND FULFILLEMENT.

ALL SURFACES AND AREAS ARE AVAILABLE FOR CNC ALTERATION BY NEW AGE ENCLOSURES CALL (855) 462-3625 FOR PRICING AND SCHEDULE.

THE INSIDE RADIUS OF ANY MACHINED FEATURES SHOULD BE NO SMALLER THAN .031"



DLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES.	<b>NEW AG</b>
X.XX = .015	ENGL:

NEW AGE ENCLOSURES

Customer's Part No. 85441

	Custome	er S Part NO: 854415
	APPROVAL	BY DATE
	CHECK	
M	ENG.	
	SCALE	AS NOTED
	DRAWN BY	
	M BOYER	2020-Nov-10

## NEW AGE E**NCLESURE**S

2240 South Thornburg Street ph. (855) 462-3625 fax (805) 595-1024 www.newageenclosures.com

ELECTRONIC HANDHELD - STANDARD
SXX-854413-XXX

	SXX-854413-XXX COVER - ABS, BLACK									
STEP	DESCRIPTION	CUTTER	FIXTURE	ORIENTATION	PROGRAM					
1-C-C1	-	T2 = .062" EM	300	-	01001					
2-C-C2	-	T2 = .062" EM	300	-	01002					

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Battery Enclosures category:

Click to view products by New Age manufacturer:

Other Similar products are found below:

67257-01 MT5.0 G900B CLIP FC6A-BH1PN02 MB 12225 MF-001LG MF-001DG 46300000 46600000 FP 10674 FP 22046 18200201 UH-3 MB 10622 HH-3595-BCB HH-3595-BCG MRS 28541 12BH325/C-GR 12BH348/CS-GR 12BH441/C-GR BHM-3A3 12BH331/C-GR 12BH431/C-GR 12BH9V/CS-GR BHM-4A3 BHF-4A3 BHF-3A3 FI-17 GY 72002001 72002101 72002201 72002301 8120843 8120845 P33070300 35111005 35111016 AH NEW ALU HINGE 19400101 8120841 DS 10581 CLY.9 MB 10674 8120840 8120842 8120844 8120844 FP 12017 22010000 CL1 N