


1 2 3 4 5 6 7 8

A
B
C
D
E



A
B
C
D
E



SPECIFICATIONS:
 Current rating:3.0A AC/DC
 Voltage rating:250V AC/DC
 Contact resistance:30m ohm MAX
 Insulation resistance:5000M ohm MIN
 Withstanding voltage:1000V AC for one minute
 Operating temperature range:-40°C~+85°C

MATERIAL AND FINISH
 Insulator:PBT+30%G.F(UL94V-0)
 Contact:Copper Alloy Nickel Undercoated Selective Gold Plated
 Finish:Metal Iron With Tin Plated

PART NO.:



Z-SUB DP * F * * 7 * * * *

NO. OF CONTACTS
 A=9PIN
 B=15PIN
 C=25PIN
 E=37PIN

MOUNTING OPTIONS
 1=RIVETED W/SHIELD ONLY
 2=RIVETED W/FRONT RIVET
 3=RIVETED W/REAR RIVET
 4=RIVETED W/NUT RIVET
 5=RIVETED W/HEX SCREW +HEX NUT


LOGO
 0=NO LOGO
 2=NEXTRON LOGO

INSULATOR COLOR
 0=BLACK
 6=BLUE
 9=WHITE

INSULATOR MATERIAL
 0=PBT
 2=NYLON

CONTACT PLATED:(CONTACT AREA)
 1=FULL GOLD 1u"
 2=GOLD 3u"
 3=GOLD 5u"
 4=GOLD 10u"
 5=GOLD 15u"
 6=GOLD 30u"

△ NUT POST HEIGHT(H)
 1=4.8mm(STD)
 0=5.8mm



37P	54.84	63.50	69.32	7.90	12.50
25P	38.38	47.04	53.04	7.90	12.50
15P	24.66	33.32	39.14	7.90	12.50
9P	16.33	24.99	30.81	7.90	12.50
POS. NO.	A	B	C	D	E
	DIMENSION				

UNITS: ■ mm □ inch	SIZE A3	NAME: D-SUB DP TYPE FEMALE PCB SOLDER TYPE	 NEXTRONICS ENGINEERING CORP.	
GENERAL TOLERANCE: (UNLESS SPECIFIED)		PART NO: Z-SUBDPXFFX7XXXX	TITLE: CUSTOMER DWG	
		APPD: Peter 廖小瓊 2020/04/17	DWG NO: 010-0000-636	
		CHKD: Linson 曾偉雄 2020/04/17	SCALE SHEET REV. 1/1 1/1 D	
		DRAW:		
		DESIGN: Lu 陳惠枝 2020/04/17		

REV.	DESCRIPTION	DATE	ANGLES
D	ECR-20049 △=1	2020/04/03	4 PLACE ± ** ±. **
C	ECN-19105 △=1	2019/11/22	3 PLACE ± ** ±. **
B	ECN-150091 UPDATE	2015/7/27	2 PLACE ± 0.20 ±. **
			1 PLACE ± 0.30 ±. **
			X° ± 3°



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub Standard Connectors](#) category:

Click to view products by [Nextronics](#) manufacturer:

Other Similar products are found below :

[015-0339-000](#) [015-0341-000](#) [015-0349-000](#) [015-0350-000](#) [015-8544-011](#) [015-8755-001](#) [017041-0005](#) [020419-0104](#) [609-25P](#) [609-9P](#) [CT0-24-10SC](#) [CT0-36-3PC](#) [CT0E20-8PS](#) [CT0F16S-1PS](#) [CT0TA16-11SXCA232](#) [CT1E20-19SS](#) [CT2-10SL-3SC](#) [CT2-14S-2PCA34](#) [CT2-18-11PCAU](#) [CT2-22-19SC](#) [CT2-36-5PC](#) [CT6-10SL-3SC](#) [CT6-10SL-4SC](#) [CT6-14S-2SC](#) [CT6-16-12SC](#) [CT6-18-10PSA206](#) [CT6-18-10PSA232](#) [CT6-18-11PXSA206](#) [CT6-18-11PXSA232](#) [CT6-22-10PS](#) [CT6-24-5PC](#) [CT6-9767-18-8-18-4SS](#) [CT6E14S-5SC](#) [CT6E14SA7SC](#) [CT6E20-14SS](#) [CT6E22-14PC](#) [CT6E22-14PS](#) [CT6E22-19PS](#) [CT6E22-22PS](#) [CT6E24-10SC](#) [CT6F16S-1SC](#) [CT6FA10SL-4PS](#) [CT6LA20-19PC](#) [CT6M20-19SS](#) [CT6NSB4-20-8SS](#) [CT6TC14S-6SCAU](#) [CT6TC14S-7PS](#) [6STD15SCT99S40X](#) [6STF09PCM05B70X](#) [D20420-80](#)