



PCB LAYOUT

37P	55.42	63.50	69.32	8.08	9.05
25P	38.96	47.04	53.04	8.08	9.05
15P	25.25	33.32	39.14	8.08	9.05
9P	16.92	24.99	30.81	8.08	9.05
POS NO.	A	B	C	X	Y
	DIMENSION				

SPECIFICATIONS:
 Current rating: 3.0A AC/DC
 Voltage rating: 250V AC/DC
 Contact resistance: 30mohm MAX
 Insulation resistance: 5000Mohm MIN
 Withstanding voltage: 1000V AC for one minute
 Operating temperature range: -40°C TO +85°C

MATERIAL AND FINISH
 Insulator: PBT+30%G.F(UL94V-0)
 Contact: Copper Alloy Nickel Undercoated
 Selective Gold Plated
 Finish: Metal Iron With Tin Plated

△ PART NO.

Z-SUBDR * M * 0 * * * * * LOGO
 NO. OF CONTACTS ——— * * * * * LOGO
 A=9PIN 0=NO LOGO
 B=15PIN 2=NEXTRON LOGO
 C=25PIN INSULATOR COLOR
 E=37PIN 0=BLACK
 TYPE ——— * * * * * INSULATOR MATERIAL
 M=MALE 9=WHITE
 MOUNTING OPTIONS ——— * * * * * PLATED
 6=SCREWED HEX SCREW ON BOARD LOCK A=GOLD 1u"/LIGHT TIN
 7=RIVETED W/ BOARD LOCK/WASHER B=GOLD 3u"/LIGHT TIN
 8=RIVETED W/BOARD LOCK/WASHER/HEX SCREW C=GOLD 5u"/LIGHT TIN
 9=RIVETED W/ BOARD LOCK/WASHER/ ATTACHED HEX SCREW E=GOLD 15u"/LIGHT TIN
 F=GOLD 30u"/LIGHT TIN
 CONTACT MATERIAL
 2=BRASS

正凌精密工业(广东)有限公司
 2016/6/21
 内部资料请勿复印

A1	UPDATED △1=2	6/17'16
A	NEW RELEASED	4/27'10
REV.	DESCRIPTION	DATE

UNITS ■mm □INCH	NAME: D-SUB 弯式PCB 焊接插座	NEXTRON NEXTRONICS ENGINEERING CORP.	
GENERAL TOLERANCES: (UNLESS SPECIFIED)	PART NO: Z-SUBDR*M*02****	TITLE: CUSTOMER DWG	
4 PLACE ± ** ± **	APPD: 楊海文 2016/6/20	DWG NO: 010-0000-687	C
3 PLACE ± ** ± **	CHKD: 廖小瓊 2016/6/20	SCALE: SHEET: REV.:	
2 PLACE ± 0.10 ± **	DRAWN: 何潔賢 2016/6/17	2/1 1/1 A1	
1 PLACE ± 0.30 ± **			
ANGULAR: X°± 1° .X°± **			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub Standard Connectors](#) category:

Click to view products by [Nextronics](#) manufacturer:

Other Similar products are found below :

[56F711-015](#) [LV242999-142T12](#) [015-0339-000](#) [015-0341-000](#) [015-0349-000](#) [015-0350-000](#) [015-0372-008](#) [015-8544-011](#) [017041-0005](#)
[020419-0104](#) [012-0467-000](#) [012-9507-114](#) [020745-0008](#) [609-25P](#) [609-9P](#) [M24308/2-23Z](#) [M24308/2-36Z](#) [CT0-24-10SC](#) [CT06E20-22SS](#)
[CT0P14S-5SXS](#) [CT0P22-14PS](#) [CT0U22-14PSA206F127](#) [CT1E20-19SS](#) [CT1E20-22SCAU-G9](#) [CT1LA20-22SS](#) [CT2-10SL-3SC](#) [CT2-10SL-4PH](#) [CT2-14S-2PCA34](#) [CT2-16S-17PS](#) [CT2-18-10PS-FMLB-D](#) [CT2-18-11PCAU](#) [CT2-18-1PSAUA34](#) [CT2-22-19SC](#) [CT2-22-19SS-A206](#)
[CT2-24-2PS](#) [CT2-28-12SC](#) [CT2-28-12SSA232](#) [CT6-10SL-3SC](#) [CT6-10SL-4SC](#) [CT6-14S-2SC](#) [CT6-16-12SC](#) [CT6-18-10PSA206](#) [CT6-18-10PSA232](#) [CT6-18-10SSF127A206](#) [CT6-20-15SSA232](#) [CT6-22-10PS](#) [CT6-28-22SS](#) [CT6E14S-2S0](#) [CT6E14S-2SC-A206](#) [CT6E14S-5SC](#)