

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	LJH 04/27/05'	~	LJC 04/27/05'
B	ADD P/N CODE	LJC 12/12/13'		







NOTES:

- MATERIAL
 - INSULATOR: THERMOPLASTIC(UL 94V-0).
 - CONTACT: COPPER ALLOY.
- SPECIFICATION
 - TEMPERATURE: -40°C~+105°C.
 - CONTACT RESISTANCE: 20mΩ max.(initial).
 - INSULATION RESISTANCE: 1000MΩ min.
 - DIELECTRIC WITHSTANDING VOLTAGE: AC 500V PER MINUTE.

3. PRODUCT NUMBER CODE:

DS1014- X X X X - X

- PLATING LEVEL(FOR GOLD ONLY) ⓑ
 - 3A: 0.8-1.2u"
 - B: LEVEL B
- HOUSING COLOR
 - B: BLACK
 - W: WHITE
 - L: BLUE
 - A: GRAY
- CONTACT PLATING
 - F1: FULL GOLD FLASH
- MOUNTING TYPE
 - S: V/T TYPE
 - R: R/A TYPE
 - E: Elevator TYPE
- No.OF CONTACTS
 - 08 10 12 14 16 20 26
 - 30 34 40 50 60 64



GENERAL TOLERANCE		ANGLE TOLERANCE	
X.	±0.60	X.	±5°
.X	±0.38	.X	±3°
.XX	±0.25	.XX	±2°

PROJECTION	TITLE	2.0mm BOX HEADER V/T, R/A & ELEVATOR TYPE	
UNITS	mm		
SHEET SIZE	A4	SERIES	DS1014 SERIES

DRAWING TYPE	CUSTOMER		
SCALE	1:1	SHEET	1 OF 1
DRAWING NO.	C-DS1014-XXXX-X-B		

晨翔电子有限公司
CONNFLY® CONNFLY ELECTRONIC CO., LTD

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	YCH 09/11/23'	~	LJC 09/11/23'
B	ADD P/N CODE	LJC 12/12/13'		





NOTES:

- MATERIAL
 - INSULATOR: HIGH TEMPERATURE(UL 94V-0).
 - CONTACT: COPPER ALLOY.
- SPECIFICATION
 - TEMPERATURE: -40°C~+105°C.
 - CONTACT RESISTANCE: 20mΩ max.(initial).
 - INSULATION RESISTANCE: 1000MΩ min.
 - DIELECTRIC WITHSTANDING VOLTAGE: AC 500V PER MINUTE.

3. PRODUCT NUMBER CODE:

DS1014 - X X X X X X - X


- PLATING LEVEL(FOR GOLD ONLY) ⑥
 - 3A: 0.8-1.2u"
 - B: LEVEL B
- PACKING TYPE
 - T:TRAY
 - R:TAPE ON REEL
 - B:TUBE
- PICK UP SUPPORT
 - S:W/ PICK UP
 - X:W/O PICK UP
- HOUSING COLOR
 - B: BLACK
 - W: WHITE
 - L: BLUE
 - A: GRAY
- CONTACT PLATING
 - F1: FULL GOLD FLASH
- MOUNTING TYPE
 - M: SMT TYPE
- No.OF CONTACTS
 - 08 10 12 14 16 20 26
 - 30 34 40 50 60 64



GENERAL TOLERANCE		ANGLE TOLERANCE	
X.	±0.60	X.	±5°
.X	±0.38	.X	±3°
.XX	±0.25	.XX	±2°

PROJECTION	TITLE	2.0mm BOX HEADER	
UNITS	mm	SMT TYPE	
SHEET SIZE	A4	SERIES	DS1014 SMT SERIES

DRAWING TYPE	CUSTOMER		
SCALE	1:1	SHEET	1 OF 1
DRAWING NO.	C-DS1014-XMXXX-X-B		


晨翔电子有限公司
CONNFLY® CONNFLY ELECTRONIC CO., LTD

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Ninigi](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)