

CONFLY CONNELY ELECTRONIC CO., LTD



晨翔电子有限公司

DRAWING NO. C-DS1023-XXX1-B	
SCALE 1:1	SHEET 1 OF 1
DRAWING TYPE CUSTOMER	
X. ±0.60	X. ±0.38
.XX ±0.25	.X ±0.3
	.XX ±2.
GENERAL TOLERANCE	
ANGLE TOLERANCE	

UNITS mm	SHEET SIZE A4	SERIES DS1023 SERIES
PROJECTION	TITLE	FEMALT HEADER PITCH
2.54mm V/T SINGLE/DUAL ROWS TYPE		

H

F



E

D

C

B

A



NO.OF CONTACTS
3*3-3*40
2*2-2*40
1*1-1*40

MOUNTING TYPE
S: Straight type

CONTACT PLATING
F1: FULL GOLD FLASH
2: NICKEL + GOLD FLASH

PROFILE HEIGHT(DIM A)
1: 8.5mm
2: 5.0mm

- NOTES:
1. ELECTRICAL CHARACTERISTICS:
1.1 CONTACT RESISTANCE: 20mΩ Max. INITIAL.
1.2 DIELECTRIC WITHSTANDING VOLTAGE: 500V AC(rms) FOR 1 MINUTE.
1.3 INSULATION RESISTANCE: 1000MΩ Min.
 2. MECHANICAL CHARACTERISTICS:
2.1 CONTACT RETENTION FORCE: 500gf Min.
 3. ENVIRONMENT CHARACTERISTICS:
3.1 TEMPERATURE RANGE: -40°C ~ +105°C.
 4. PRODUCT NUMBER CODE:
DS1023-X X X X

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
B	Drawing correction	JLZ 02/10/15'		
A	NEW RELEASE	YCH 10/22/09'		LJC 10/22/09'

8

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Connfly](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [48050-002LF](#) [DF62W-EP2022PC](#) [2203348](#)
[DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#)
[0009482033](#) [0009507031](#) [0009524054](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-](#)
[06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1](#)
[\(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [632209-000](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#)
[65039-019ELF](#) [65692-001LF](#)