

Coin Battery Board for Environment Sensing Board RIOT-001

NO.EEV-577-200108

1. Overview

The RIOT-C01 is an optional coin battery board for the RIOT-001, an environment sensing board. It is equipped with a battery holder for a CR2032-type coin battery.


By connecting the RIOT-C01 with the RIOT-001 through each connector, the RIOT-C01 can charge the secondary battery mounted on the RIOT-001, and the RIOT-001 can drive the environment sensing operation with a coin battery. The two boards can be screwed with each other (suitable screw size: M2x4mm).



Picture: Connection with the RIOT-001 (The lower board is the RIOT-C01.)


(*1)Coin batteries are not included on this board.

2. Appearance




3. How to Attach a Coin Battery


- ① Before attaching a coin battery, detach the RIOT-001 if it is connected. Check the position of the coin battery holder terminals.



- ② Insert a coin battery at a slant so as to make its “-” side touch the “-” terminal of the holder, and its “+” side the “+” terminal.



- ③ Adjust the battery position and press the coin battery.





1. The products and product specifications described in this document are subject to change or discontinuation of production without notice for reasons such as improvement. Therefore, before deciding to use the products, Customer shall refer to RICOH Electronic Devices Co., Ltd. ("RICOH") sales representatives for the latest information thereon.
2. The information contained in this document is carefully prepared for accuracy, but does not warrant that there will be no mistakes. Please note that RICOH is not responsible for any damage to customers caused by any errors or inaccuracies in this document.
3. The information contained in this document is presented only as examples and guidance of product use. Please note that Ricoh assumes no liability for any damage to customers caused by use of the products.
Customers shall be solely responsible for all aspects of their own product-design and applications in use of the circuit, software or related information described in this document: design including the products or incorporation of the products into their own applications. In this regard, customers must provide shipping inspections to ensure design for safety such as redundancy, anti-failure and fire containment. Aging process is also necessary to ensure customers' design standard for safety.
4. The technical information described in this document shows typical characteristics and examples of application circuits for the products.
The release of such information does not guarantee a grant of license of Ricoh's or any third party's intellectual property rights or any other rights related to the products including combination with any other products.
5. The materials in this document may not be copied or otherwise reproduced in whole or in part without prior written consent of RICOH.
6. In the event that any product or related technology described in this document falls under the category of products controlled under Foreign Exchange and Foreign Control Trade Law, exporting of such products or technology shall require an export license from the Japanese government in accordance with the above law.
7. The products and technology shall not be used for any products or systems of which manufacturing or sales is prohibited under any applicable laws or regulations.
8. The certification labels, including the technical conformity mark validated by Japan Radio Act, are on the surface of the RL78/G1D module. Please follow the radio wave regulation of the country where this product is used.
9. RICOH is not responsible for damage caused by failure to properly follow the recommended operating conditions or product specifications described in this document.
10. Customer shall not disassemble, analyze, reverse-engineer, alter, modify or the like the products, whether in whole or in part. In case of the above, RICOH does not warrant the products.
11. RICOH does not warrant functional characteristics and performance depending on the software made by customers.
12. RICOH does not warrant interconnectivity and/or compatibility between the products and components except for the recommended components described in this document.
13. All the information contained in this document is applied to only the products purchased through proper channels such as RICOH sales representatives.
Please note that our warranty does not cover free samples and products purchased via another channels.
14. This product is a sample board for customers to understand power management ICs of Ricoh Electronic Devices, Co., Ltd. Safety, reliability, compatibility, etc., which are commonly required by final products for consumers or industries, are not considered in design, nor in sales, nor in manufacturing.
Please note that we do not take any responsibility or liability for any damage or loss using the product for any final products for consumer or industry.
15. Customers shall be strictly prohibited to use the products in equipment or systems that require extreme level of quality and reliability, and of which malfunction or failure may cause loss of human life and/or bodily injury, e.g., equipment used in aerospace industry, nuclear reactor control systems, traffic control systems, automotive and transportation equipment, combustion equipment, safety devices, life support systems.
16. Customer shall not use the products under any of the conditions mentioned below. This may cause malfunction or defect.
in water
in high humidity
under oily environment
in corrosive atmosphere
under environment with corrosive gas or inflammable gas
under an extremely high or low temperature environment
under conditions of violent vibration
in the place that generates electrostatic charges and electrifies
in a place that exposed to direct sunlight
in a dusty place
Anti-radiation design is not implemented in the products described in this document.
17. Improper or unintended use or misuse may lead to loss of human life and bodily injury, firing and smoking, failure of the products and connected components, and damage to property or loss of social profits.
18. Sharp edge of components such as short plug may unavoidably appear. Customer shall handle the products with the utmost care and attention to avoid injury from the sharp edge.
19. To avoid electrostatic discharge failure, Customer shall not touch the metal portion of the connector with bare hands or fingers.
Also, Customer shall remove static electricity of the human body before handling the products through touching something made of metal such as door handles.
20. Customer shall turn off immediately when firing, smoking or abnormal heating occur during operation.
21. When connecting the products to other products, Customer shall not give excessive stress on the products. Customer shall not warp boards nor push forcefully the mounted components.
22. Customer shall not apply the supply voltage to the product if the surface of the board is wet or the product touches any metals.
23. The X-ray exposure can influence functions and characteristics of the products.
24. Do not turn on this product at the place where using wireless devices is prohibited, such as in airplanes, hospitals, near an implantable cardiac pacemaker or medical electrical equipment, etc.
The radio wave generated from this product may interfere with those devices' operation.
25. This product may be affected by radio waves emitted from devices or equipment such as wireless LAN, BLE devices, digital cordless phones, microwave ovens, etc.
26. This product must not be incorporated nor used in a metallic cabinet. Also, do not use cabinets whose coating materials contain metal composition.
27. RICOH warrants the products with exceptions as indicated below, to the original purchaser to be free of defects for a period of three months from the date of arrival.
Within the warranty period, we will replace a defective product with a substitute. Ricoh assumes no liability for indirect, special or incidental damage or loss including loss of profits and consequential damage regardless of possibility of anticipation.

RICOH RICOH ELECTRONIC DEVICES CO., LTD.

Official website

<https://www.e-devices.ricoh.co.jp/en/>

Contact us

<https://www.e-devices.ricoh.co.jp/en/support/>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power Management IC Development Tools](#) category:

Click to view products by [Nisshinbo](#) manufacturer:

Other Similar products are found below :

[EVAL-ADM1168LQEBZ](#) [EVB-EP5348UI](#) [MIC23451-AAAYFL EV](#) [MIC5281YMME EV](#) [DA9063-EVAL](#) [ADP122-3.3-EVALZ](#) [ADP130-0.8-EVALZ](#) [ADP130-1.2-EVALZ](#) [ADP130-1.5-EVALZ](#) [ADP130-1.8-EVALZ](#) [ADP1714-3.3-EVALZ](#) [ADP1716-2.5-EVALZ](#) [ADP1740-1.5-EVALZ](#) [ADP1752-1.5-EVALZ](#) [ADP1828LC-EVALZ](#) [ADP1870-0.3-EVALZ](#) [ADP1871-0.6-EVALZ](#) [ADP1873-0.6-EVALZ](#) [ADP1874-0.3-EVALZ](#) [ADP1882-1.0-EVALZ](#) [ADP199CB-EVALZ](#) [ADP2102-1.25-EVALZ](#) [ADP2102-1.875EVALZ](#) [ADP2102-1.8-EVALZ](#) [ADP2102-2-EVALZ](#) [ADP2102-3-EVALZ](#) [ADP2102-4-EVALZ](#) [ADP2106-1.8-EVALZ](#) [ADP2147CB-110EVALZ](#) [AS3606-DB](#) [BQ24010EVM](#) [BQ24075TEVM](#) [BQ24155EVM](#) [BQ24157EVM-697](#) [BQ24160EVM-742](#) [BQ24296MEVM-655](#) [BQ25010EVM](#) [BQ3055EVM](#) [NCV891330PD50GEVB](#) [ISLUSBI2CKIT1Z](#) [LM2744EVAL](#) [LM2854EVAL](#) [LM3658SD-AEV/NOPB](#) [LM3658SDEV/NOPB](#) [LM3691TL-1.8EV/NOPB](#) [LM4510SDEV/NOPB](#) [LM5033SD-EVAL](#) [LP38512TS-1.8EV](#) [EVAL-ADM1186-1MBZ](#) [EVAL-ADM1186-2MBZ](#)