

# SAFETY DATA SHEET

SDS0066UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 453/2010

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

1.2

Product Name Solo Smoke Detector Tester.

Trade Name Solo A3 –XXX (XXX denotes customer variant).

CAS No. Mixture. EINECS No. Mixture.

REACH Registration No.

Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s)Smoke simulation.Uses advised againstNone known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Detectortesters (No Climb Products Ltd)

Edison House 163 Dixons Hill Road Welham Green Hertfordshire. AL9 7JE.

None assigned.

United Kingdom
Telephone +44 (0) 1707 282760
Fax +44 (0) 1707 282777
E-mail SDS@detectortesters.com

1.4 Emergency telephone number

Emergency Phone No. +44 (0) 1707 282760

#### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Directive 67/548/EEC & Directive 1999/45/EC Not classified as dangerous for supply/use.

2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard Symbol None. Risk Phrases None.

Safety Phrases S2: Keep out of the reach of children.

S17: Keep away from combustible material.

S16: Keep away from sources of ignition - No smoking.

Additional Information 14.5 % by mass of the contents are flammable.

Do not spray on a naked flame or any incandescent material. Do not pierce or burn, even after use. Pressurised container: protect from sunlight and do not

expose to temperatures exceeding 50 °C.

**2.3 Other hazards** High concentrations: May cause drowsiness and dizziness.

2.4 Additional Information None.

Revision: 11 Page: 1/8 Date: 25/09/2013



# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

#### 3.1 Mixtures

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
1,1,1,2- tetrafluoroethane	50 - 100	811-97-2	212-377-0	None assigned	None
Propan-2-ol	10 - 25	67-63-0	200-661-7	01-2119457558-25	F; R11, Xi; R36, R67

#### 3.2 Additional Information

For full text of R/S phrases see section 16.

### 4. SECTION 4: FIRST AID MEASURES



4.2

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing. If symptoms

persist, obtain medical attention.

Skin Contact Wash with plenty of soap and water.

Eye Contact Flush eyes with water for at least 15 minutes while holding

eyelids open. If eye irritation persists: Get medical

Unlikely to be required but if necessary treat

advice/attention.

Ingestion Unlikely route of exposure.

Most important symptoms and effects, both

acute and delayed

s, both None anticipated.

4.3 Indication of any immediate medical attention

and special treatment needed

symptomatically.

#### 5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or

waterspray.

Unsuitable Extinguishing Media

None known.

5.2 Special hazards arising from the substance or

mixture

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing

including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because

Heating may cause pressure rise with risk of bursting.

they are likely to rupture under fire conditions.

Revision: 11 Page: 2/8 Date: 25/09/2013



### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment

and emergency procedures

Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. Wear suitable gloves and

eye/face protection.

6.2 **Environmental precautions** 

cleaning up

Do not release large quantities into the surface water or into

drains.

6.3 Methods and material for containment and

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or

recovery. Containers must not be punctured or destroyed by

burning, even when empty. See Also Section: 8, 13.

6.4 Reference to other sections

#### **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other

ignition source. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. Avoid prolonged skin contact. Wear suitable gloves if prolonged skin contact is likely. See Section: 8. Do not eat, drink or smoke during work. Wash hands

thoroughly after handling.

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature Ambient.

Pressurised container: protect from sunlight and do not

expose to temperatures exceeding 50 °C.

Storage Life Stable under normal conditions.

Incompatible materials None anticipated. Specific end use(s) Smoke simulation.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

7.3

#### 8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL	LTEL	STEL	STEL	Note
		(8 hr TWA ppm)	(8 hr TWA mg/m³)	(ppm)	(mg/m³)	
1,1,1,2-	811-97-2	1000	4240	-	-	WEL
tetrafluoroethane						
Propan-2-ol	67-63-0	400	999	500	1250	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value

Not established.

Revision: 11 Page: 3/8 Date: 25/09/2013



#### 8.1.3 PNECs and DNELs

#### Propan-2-ol

Provide adequate ventilation.

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Local effects	-	-	-
Industry - Long Term - Systemic effects	-	500 mg/m <sup>3</sup>	888 mg/kg bw/day
Consumer - Long Term - Local effects	-	-	-
Consumer - Long Term - Systemic effects	26 mg/kg bw/day	89 mg/m³	319 mg/kg bw/day

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection Not normally required.



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely.

Gloves: Nitrile rubber, NBR.

Respiratory protection No personal respiratory protective equipment normally

required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be

appropriate.
Thermal hazards Not applicable.

**8.2.3** Environmental Exposure Controls Do not release large quantities into the surface water or into

drains

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical

properties

Appearance Aerosol.
Colour Colourless.
Odour Characteristic.
Odour Threshold Not determined.
pH Not determined.
Melting Point/Freezing Point Not determined.

Initial boiling point and boiling range  $$-26\ ^{\circ}\text{C}$$  Flash Point  $$13\ ^{\circ}\text{C}$$ 

Evaporation rate Not applicable.

Flammability (solid, gas) Non-flammable; tested to 2008/47/EC Annex 1.9.1(iii).

Upper/lower flammability or explosive limits Explosive Limit Ranges: 2.0 – 12.0 Vol-%

Vapour pressure 5.2 bar @ 20 °C

Density 1.132 g/cm³ @ 20 °C

Vapour density Not determined.

Relative density Not determined.

Solubility(ies) Immiscible with water.

Partition coefficient: n-octanol/water Not determined.

Ignition temperature 425 °C

Auto-ignition temperature Product is not selfigniting.

Decomposition Temperature

Kinematic Viscosity

Explosive properties

Oxidising properties

Not determined.

Not explosive.

Not oxidising.

Revision: 11 Page: 4/8 Date: 25/09/2013



9.2 Other information

Organic solvents - Content 14.8%

### 10. SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions. **Chemical stability** Stable under normal conditions. 10.2 10.3 Possibility of hazardous reactions Stable under normal conditions. 10.4 Conditions to avoid Heat and direct sunlight. 10.5 Incompatible materials None anticipated. 10.6 **Hazardous Decomposition Product(s)** None known.

#### 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicityLow acute toxicity.IrritationNot classified.CorrosivityNot classified.

**Sensitisation** It is not a skin sensitiser. **Repeated dose toxicity** None anticipated.

**Carcinogenicity** No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

**Toxicity for reproduction Aspiration hazard**None anticipated.

None anticipated.

**11.2 Other information** None.

### 12. SECTION 12: ECOLOGICAL INFORMATION

**12.1 Toxicity** Low toxicity to aquatic organisms.

12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 The product is readily biodegradable. Unlikely to persist.
 The product has no potential for bioaccumulation.

12.4 Mobility in soil Immiscible with water. The product is predicted to have low

mobility in soil.

**12.5** Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None.

#### 13. SECTION 13: DISPOSAL CONSIDERATIONS

**13.1** Waste treatment methods Recycle only completely emptied packaging. Containers

must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.

13.2 Additional Information Disposal should be in accordance with local, state or

national legislation.

Revision: 11 Page: 5/8 Date: 25/09/2013



# 14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR, IMDG, IATA

14.2 UN Proper Shipping Name

ADR IMDG

IATA

14.3 Transport hazard class(es)

**ADR** 

Class

Label

IMDG, IATA

Class Label

14.4 Packing Group

ADR, IMDG, IATA

14.5 Environmental hazards

Marine Pollutant

14.6 Special precautions for user

Kemler Code

IMDG EMS

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

14.8 Additional Information

ADR

Limited Quantity (LQ)

ADR Transport Category Tunnel Restriction Code

**IMDG** 

Limited Quantity (LQ)

IATA

Limited Quantity (LQ)

**UN Model Regulation** 

UN 1950

1950 AEROSOLS

AEROSOLS

AEROSOLS, Non-flammable

2 5A Gases

2.2

\_.\_

2.2 2.2

None.

No.

Warning: Gases.

-

F-D, S-U

Not applicable.

1L

3 E







UN 1950, AEROSOLS, 2.2



### 15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance

or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XVII Restrictions on the All chemicals are not listed. manufacture, placing on the market and use of

certain dangerous substances, mixtures and articles

REACH: ANNEX XIV List of substances subject to All chemicals are not listed.

authorisation

Community Rolling Action Plan (CoRAP); All chemicals are not listed.

Draft 29/02/2012

**15.1.2 National regulations** None known.

Wassergefährdungsklasse (Germany)

Technical Instructions (air)

1,1,1,2-tetrafluoroethane WGK class 1
Propan-2-ol WGK class 1

 Class
 Share in %

 NK
 10 - <25</td>

 VOC-CH
 14.48%

 VOC-EU
 167.3%

 Danish MAL Code
 2-1

15.2 Chemical Safety Assessment Not available.

### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

#### LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative
WGK Wassergefährdungsklasse (Germany)

VOC Volatile Organic Compounds

MAL Code Måleteknisk Arbejdshygiejnisk Luftbehov

(Regulation for the labeling concerning inhalation hazards, Denmark)

ADR Accord européen relatif au transport international des marchandises dangereuses par route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG International Maritime Code for Dangerous Goods

IATA International Air Transport Association

F Highly flammable

Xi Irritant

#### **Risk Phrases**

R11 Highly flammable. R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

Revision: 11 Page: 7/8 Date: 25/09/2013



#### **Disclaimers**

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Revision: 11 Page: 8/8 Date: 25/09/2013

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for no climb manufacturer:

Other Similar products are found below:

**SOLOA3** 001