




Description: 2mm Dual Row Receptacle





04~20 pin : 0.10mm
 22~50 pin : 0.20mm
 52~80 pin : 0.30mm

Recommended P.C. Board Hole Layout



Units = mm

Tolerance
 .X ±0.3
 .XX ±0.20
 .XXX ±0.100



Material:

Insulator: Nylon-6T, Black, UL 94V-0
 Process Temperature: 260°C for 10 seconds
 Contact: Phosphor Bronze
 Gold Flash Mating Side
 100µ" Tin on Board Side

Electrical:

Current Rating: 2 Amps
 Contact Resistance: 20 mOhms Max.
 Insulation Resistance: 5000 MOhms Min.
 Working Voltage: 250V
 Temperature: -40° C TO +105° C

2 5 6 4 Y Y 0 1 R P 2

Series

2564 = Dual Row

Position

Dual - Increments of 2
 (04 to 80)

Type

01 = Straight

Plating Options

P2 = Gold Flash Mating Side, 100µ" Tin on Board Side



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF APPARATUS WITHOUT WRITTEN PERMISSION.

NorComp

DRAWN: PAM JENKINS

DATE: 1-30-06

SCALE: NTS SHEET 1 OF 1 REV 3

DWG NO. 2564YY01RP2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [NorComp](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)