



NTE2504 Silicon NPN Transistor High Gain Audio Amplifier

Features:


- Large Current Capacity ($I_C = 2A$)
- Adoption of MBIT Process
- High DC Current Gain: $h_{FE} = 800$ to 3200
- Low Collector-Emitter Saturation Voltage: $V_{CE(sat)} < 0.5V$

Absolute Maximum Ratings: ($T_A = +25^\circ C$ unless otherwise specified)

Collector-Base Voltage, V_{CBO}	30V
Collector-Emitter Voltage, V_{CEO}	25V
Emitter-Base Voltage, V_{EBO}	15V
Collector Current, I_C	
Continuous	2A
Peak	4A
Collector Dissipation, P_C	1.2W
Junction Temperature, T_J	+150°C
Storage Temperature Range, T_{stg}	-55° to +150°C

Electrical Characteristics: ($T_A = +25^\circ C$ unless otherwise specified)

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Collector Cutoff Current	I_{CBO}	$V_{CB} = 20V$, $I_E = 0$	—	—	0.1	μA
Emitter Cutoff Current	I_{EBO}	$V_{EB} = 10V$, $I_C = 0$	—	—	0.1	μA
DC Current Gain	h_{FE}	$V_{CE} = 5V$, $I_C = 500mA$	800	1500	3200	
Current Gain-Bandwidth Product	f_T	$V_{CE} = 10V$, $I_C = 50mA$	—	260	—	MHz
Output Capacitance	C_{ob}	$V_{CE} = 10V$, $f = 1MHz$	—	27	—	pF
Collector-Emitter Saturation Voltage	$V_{CE(sat)}$	$I_C = 1A$, $I_B = 20mA$	—	0.15	0.5	V
Base-Emitter Saturation Voltage	$V_{BE(sat)}$	$I_C = 1A$, $I_B = 20mA$	—	0.85	1.2	V
Collector-Base Breakdown Voltage	$V_{(BR)CBO}$	$I_C = 10A$, $I_E = 0$	30	—	—	V



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Bipolar Transistors - BJT category:

Click to view products by NTE manufacturer:

Other Similar products are found below :

[619691C](#) [MCH4017-TL-H](#) [MJ15024/WS](#) [MJ15025/WS](#) [BC546/116](#) [BC556/FSC](#) [BC557/116](#) [BSW67A](#) [HN7G01FU-A\(T5L,F,T](#)
[NJVMJD148T4G](#) [NSVMMBT6520LT1G](#) [NTE187A](#) [NTE195A](#) [NTE2302](#) [NTE2330](#) [NTE2353](#) [NTE316](#) [IMX9T110](#) [NTE63](#) [NTE65](#)
[C4460](#) [SBC846BLT3G](#) [2SA1419T-TD-H](#) [2SA1721-O\(TE85L,F\)](#) [2SA1727TLP](#) [2SA2126-E](#) [2SB1202T-TL-E](#) [2SB1204S-TL-E](#) [2SC5488A-TL-H](#)
[2SD2150T100R](#) [SP000011176](#) [FMC5AT148](#) [2N2369ADCSM](#) [2SB1202S-TL-E](#) [2SC2412KT146S](#) [2SC4618TLN](#) [2SC5490A-TL-H](#)
[2SD1816S-TL-E](#) [2SD1816T-TL-E](#) [CMXT2207 TR](#) [CPH6501-TL-E](#) [MCH4021-TL-E](#) [BC557B](#) [TTC012\(Q\)](#) [BULD128DT4](#) [JANTX2N3810](#)
[Jantx2N5416](#) [US6T6TR](#) [KSF350](#) [068071B](#)