



ELECTRONICS, INC.  
 44 FARRAND STREET  
 BLOOMFIELD, NJ 07003  
 (973) 748-5089  
<http://www.nteinc.com>

## NTE3034A Silicon NPN Phototransistor

**Features:**

- Spectral Range of Sensitivity: 450 to 1100nm (Typ)
- Package: Sidelooker, Epoxy
- High Photosensitivity

**Applications:**

- A Variety of Manufacturing and Monitoring Applications
- Photointerrupters

**Absolute Maximum Ratings:** ( $T_A = +25^\circ\text{C}$  unless otherwise specified)


Collector–Emitter Voltage, $V_{CE}$ .....	30V
Emitter–Collector Voltage, $V_{EC}$ .....	7V
Collector Current, $I_C$ .....	50mA
Collector Surge Current ( $\tau < 10\mu\text{s}$ ), $I_{CS}$ .....	100mA
Total Power Dissipation, $P_{tot}$ .....	100mW
Operating Temperature Range, $T_{opr}$ .....	$-40^\circ$ to $+100^\circ\text{C}$
Storage Temperature Range, $T_{stg}$ .....	$-40^\circ$ to $+100^\circ\text{C}$
Thermal Resistance, Junction–to–Ambient, $R_{thJA}$ .....	750K/W
ESD Withstand Voltage, $V_{ESO}$ .....	2000V

**Characteristics:** ( $T_A = +25^\circ\text{C}$  unless otherwise specified)

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Wavelength of Maximum Sensitivity	$I_{S \max}$		–	880	–	nm
Radiant Sensitivity Area	A		–	0.11	–	$\text{mm}^2$
Dimensions of Chip Area	L x W		0.55 x .055 (Typ)			mm
Half Angle	$\varphi$		–	$\pm 35$	–	$^\circ$
Capacitance	$C_{CE}$	$V_{CE} = 0\text{V}, f = 1\text{MHz}, E = 0$	–	7.5	–	pF
Photocurrent	$I_{PCE}$	$\lambda = 950\text{nm}, E_o = 0.5\text{mW}/\text{cm}^2, V_{CE} = 5\text{V}$	250	–	–	$\mu\text{A}$
		$E_V = 1000 \text{ lx, Std. Light A}, V_{CE} = 5\text{V}$	–	3200	–	$\mu\text{A}$
Dark Current	$I_{CEO}$	$V_{CE} = 20\text{V}, E = 0$	–	1	50	nA
Rise and Fall Time	$t_r, t_f$	$I_C = 1\text{mA}, V_{CC} = 5\text{V}, R_L = 1\text{k}\Omega$	–	10	–	$\mu\text{s}$
Collector–Emitter saturation Voltage	$V_{CE(sat)}$	Threefold Saturated	–	150	–	mV

Rev. 7-19





## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [NTE manufacturer](#):*

Other Similar products are found below :

[02-LDR1](#) [02-LDR12](#) [02-LDR13](#) [02-LDR14](#) [02-LDR15](#) [02-LDR2](#) [02-LDR20](#) [02-LDR21](#) [02-LDR22](#) [02-LDR23](#) [02-LDR3](#) [02-LDR4](#) [02-N101-1](#) [02-N103-1](#) [04-04180](#) [04-06100SS](#) [04-ACC10](#) [04-ACC20](#) [04-ACC30](#) [04-ACC40](#) [04-CCL3129](#) [04-CW07-50](#) [04-CW14-50](#) [04-ES-1000](#) [04-ESNF1000-10](#) [04-ESNF-1000L](#) [04-ESNF-250L](#) [04-ESNF-375L](#) [04-MP10009](#) [04-SCBW19L-GR](#) [04-SCBW25L-BK](#) [04-SCBW25L-GR](#) [04-SCBW25L-WH](#) [04-SCBW32L-BK](#) [04-SCBW32L-GR](#) [04-SCBW32L-OR](#) [04-SCBW32L-WH](#) [04-SCBW50L-GR](#) [04-SCBW50L-OR](#) [04-SCBW6C-GR](#) [04-SCBW6C-OR](#) [04-SCBW6C-WH](#) [04-SCW10C-BK](#) [04-SCW10C-GR](#) [04-SCW10C-OR](#) [04-SCW19L-OR](#) [04-SCW5C-WH](#) [04-SL1.00-G](#) [04-SL1.00-G-10](#) [04-SL1.00-G-5](#)