



44 FARRAND STREET  
BLOOMFIELD, NJ 07003  
(973) 748-5089

## **NTE623 & NTE624 Silicon Rectifier Fast Recovery, Dual, Center Tap**

### **Description:**

The NTE623 and NTE624 are dual, fast recovery silicon rectifiers in a TO220 type package designed for special applications such as DC power supplies, inverters, converters, ultrasonic systems, choppers and low RF interference.

### **Features:**

- Low Forward Voltage
- High Current Capability
- Fast Switching for High Efficiency
- High Surge Capacity
- Glass Passivated Chip Junction


### **Absolute Maximum Ratings:**

Peak Repetitive Reverse Voltage, $V_{RRM}$	
NTE623 .....	200V
NTE624 .....	600V
Working Peak Reverse Voltage, $V_{RWM}$	
NTE623 .....	200V
NTE624 .....	600V
DC Blocking Voltage, $V_R$	
NTE623 .....	200V
NTE624 .....	600V
RMS Reverse Voltage, $V_{R(RMS)}$	
NTE623 .....	140V
NTE624 .....	420V
Average Rectifier Forward Current (Rated $V_R$ , $T_C = +150^\circ\text{C}$ ), $I_{F(AV)}$	
Per Diode .....	3A
Total Device .....	6A
Non-Repetitive Peak Surge Current, $I_{FSM}$ (8.3ms Single half Sine-Wave Superimposed on Rated Load)	50A
Operating Junction Temperature Range (Reverse Voltage Applied), $T_J$	-65° to +175°C
Storage Temperature Range (Reverse Voltage Applied), $T_{stg}$	-65° to +175°C

## Electrical Characteristics:

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Instantaneous Forward Voltage	$V_F$	$I_F = 3A$	—	—	1.3	V
Instantaneous Reverse Current	$I_R$	At Rated $V_R$ , $T_C = +25^\circ C$	—	—	5	$\mu A$
		At Rated $V_R$ , $T_C = +100^\circ C$	—	—	100	$\mu A$
Junction Capacitance	$C_P$	Note 1	—	60	—	pF
Reverse Recovery Time NTE623	$t_{rr}$	$I_F = 0.5A$ , $I_R = 1A$ , $i_{rr} = 0.25A$	—	—	150	ns
NTE624			—	—	250	ns

Note 1. Measured at 1MHz and applied reverse voltage of 4V.



# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for [nte](#) manufacturer:***

Other Similar products are found below :

[747](#) [797](#) [868](#) [1724](#) [NEH680M50FE](#) [NEHH1.0M450CB](#) [NTE48](#) [NTE526A](#) [228A](#) [231](#) [954](#) [2023](#) [47-20848-R](#) [510](#) [R04-11A30-120](#) [04-SLPE3750A](#) [5615](#) [591](#) [7056](#) [NTE5710](#) [7448](#) [NEH.10M50AA](#) [NEH2.2M63AA](#) [NEH330M35DD](#) [NEH33M10AA](#) [NEV.22M100AA](#) [TP0006-100](#) [NTE182](#) [NTE528](#) [NTE542](#) [NTE74154](#) [WH20-02-25](#) [04-SCBW25L-BK](#) [04-SCBW32L-BK](#) [04-SCW10C-BK](#) [04-SCBW19L-GR](#) [04-SCW19L-WH](#) [04-SCW19L-OR](#) [04-SCW38L-WH](#) [04-SCBW50L-OR](#) [04-SCBW50L-GR](#) [04-SCW10C-GR](#) [04-SCW10C-OR](#) [04-SCBW32L-GR](#) [04-SCBW32L-WH](#) [04-SCBW32L-OR](#) [04-SCBW6C-WH](#) [04-SCBW6C-GR](#) [04-SCBW6C-OR](#) [04-SCBW25L-GR](#)