






Cable Cutter

- For stripping and cutting copper and aluminium cable
- Improved cutting geometry for simple cutting and higher operating times
- Ratchet-shaped clamping of the cable ensures crimp-free cutting
- Precision cutting edge for a smooth and clean cut without any burrs
- Not suitable for steel wire, aluminium alloys and hard-drawn copper conductors
- Re-adjustable screw-joint
- Handles with ergonomically shaped SoftGripp multi-component sleeves
- SoftGripp handles with SystemSocket for holding optionally available accessories, e.g. the easily attached SystemClip for fall protection
- Ergonomic handle position and shape for optimum power transmission
- Professional design for easy handling under permanent load
- Made of special tool steel, forged, oil-hardened

SKU: 043-69-210



NWS Germany Produktion W. Nöthen e.K.

Röntgenstraße 18 | 42719 Solingen | Phone +49 212 24000-0 | www.nws-tools.de | info@nws-tools.de



Safety Notes



Use tools for indicated purposes only. Before using the cutting tools please wear body protection such as safety mask, safety glasses and hand protection. Beware of wire ends flying off!

General Information

Finish 69

Our pliers, cutters & wrenches with the attractive titanium finish are supplied with our new SoftGripp 3K sleeves. The triple zone sleeves provide a firm grip which is pleasant to the touch, thanks to ergonomically designed handles. The pliers, cutters & wrenches themselves are drop-forged tool steel, special tool steel or chrome vanadium steel and are oil hardened. The cutting edges of all these cutting tools are induction- hardened to ensure they are able to cope with the needs of professionals in industry and the trades.



Keeping a grip on the matter in hand

Assembly jobs in high places offer not only excellent views but also serious challenges. Here, where freedom of movement is restricted, every move the worker makes must make sense and the safety of the workers, machines and tools must have priority. NWS industrial tools enable workers to keep a grip on things. Their ergonomic design reduces work effort, when working overhead, for example. With the tools secured with the SystemClip, they are guaranteed not to fall if dropped, which makes work safer and easier.





SoftGripp with SystemSocket

When we developed our handle sleeves, the focus was on functionality, safety and environmental compatibility. The SoftGripp sleeves provide firm but comfortable grip as you work thanks to the triple-component texture. The tailored shape of the handles and the combination of different, environmentally compatible materials makes the tool rest more snugly in the hand. The ergonomically designed SoftGripp, with its multi-zone blend of handle textures, coupled with the optional spring-loaded opening mechanism, ensure strain-free working. To ensure maximum safety, the tools feature an optimised shape to prevent hands slipping off the tool and the SystemClip, which secures the tools when working on a roof, scaffolding or construction site. The SystemClip, which is easily attached on the SystemSocket, creates a quick, secure connection between the tool and the strap and features an integrated pocket for storing the opener spring.

Downloads 043-69-210.jpg 043-69-210.jpg detail_SystemSoc ket 49_69.jpg detail_Supperson

chn	ical Data	
)43-	69-210	
41	Length - mm	210
٩F	Length - in	8 1/4
\$	Cable - Al + Cu multi-wired conductor single and stranded conductor - cutting capacity - Ø mm	2!
Ð:	Cable - Al + Cu multi-wired conductor single and stranded conductor - cutting capacity - mm ²	7(
AWG	Cable - Al + Cu multi-wired conductor single and stranded conductor - cutting capacity - AWG	2/0

Röntgenstraße 18 | 42719 Solingen | Phone +49 212 24000-0 | www.nws-tools.de | info@nws-tools.de



52	Weight - g	305
9	Packing unit	6
	Barcode	40 03758 04320 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wire Stripping & Cutting Tools category:

Click to view products by NWS manufacturer:

Other Similar products are found below :

 6-690504-4
 693855-1
 813066-2
 844764-5
 844765-5
 1-240642-7
 133900-001
 1-356885-4
 1424635-1
 1424649-1
 1424650-1
 1440-0013-84

 1-458031-5
 1-458030-5
 MT10-250Q
 1755
 2-539783-7
 L-5211
 1633578-3
 F10-10Q
 1-844765-9
 251465-1
 R282066100
 313808-1

 CST596711
 458031-9
 462839-1
 467281-1
 4-690504-2
 406339-3
 L-4994
 45-265
 453653-1
 45-418
 455177-1
 455671-4
 458144-8
 462007

 $1 \ 462548 - 1 \ 464661 - 1 \ 224186 - 1 \ 679746 - 1 \ 809687 - 1 \ 852080 - 2 \ 856695 - 8 \ 11 - 40 - 4082 \ 458030 - 1 \ 679326 - 7 \ 605744 - 1 \ 690784 - 2 \ 690784 -$