

QorlQ LS1046A and LS1026A Processors

Quad 64-bit core processor with integrated packet processing acceleration and high speed peripherals including 10 Gb Ethernet, PCIe[®] Gen3, SATA 3.0 and USB 3.0 for a wide range of networking, storage, security and industrial applications.

TARGET APPLICATIONS

The LS1046A and LS1026A processors are perfectly suited for a range of embedded applications that require high CPU, packet processing performance, and high-speed interfaces such as 10 Gb Ethernet, PCI Express, SATA and USB.


- ▶ Enterprise routers and switches
- Linecard controllers
- ▶ Network attached storage
- ▶ Security appliances
- ▶ Virtual customer premise equipment (vCPE)
- ▶ Service providers gateways
- ▶ Single board computers

OVERVIEW

The QorlQ LS1046A processor integrates four 64-bit ARM® Cortex-A72 cores with packet processing acceleration and high-speed peripherals. The impressive performance of more than 32,000 CoreMarks®, paired with 10 Gb Ethernet, PCle Gen. 3, SATA 3.0, USB 3.0 and QSPI interfaces provides a perfect combination for a range of enterprise and service provider networking, storage, security and industrial applications. The LS1046A and LS1026A are available in a 23 x 23 mm package and they are pin-compatible with the LS1023A, LS1043A and LS1088A SoCs providing unprecedented performance scaling for 64-bit ARM processors, ranging from dual-A53 through octal-A53 to quad-A72 core processors, while maintaining hardware and software compatibility. This flexible scaling enables customers to leverage their existing software and reuse hardware design for faster time-to-market.



QorlQ LS1046A PROCESSOR BLOCK DIAGRAM



QorlQ LS1046A FEATURES

Features	Benefits
Four ARM® Cortex®-A72 cores 2 MB L2 cache	 Performance in excess of 32,000 CoreMarks® Total power under 10 W at 1.2 GHz for convection cooled designs
Packet processing acceleration	Efficient packet classification and distribution; hardware work scheduling, shaping, and buffer management, offloading the general purpose processors to concentrate their processing cycles on value added operations.
Integrated security engine	High-speed security protocol processing, including IPsec, SSL, DTLS, and IKE SEC also supports high speed XORing for RAID 5 acceleration
ARM TrustZone® and NXP QorIQ trust architecture	Secure boot, secure debug, tamper detection, secure key storage
Rich connectivity Two 10 Gigabit Ethernet controllers One 2.5 Gigabit Ethernet controller Four 1 Gigabit Ethernet controllers Three PCle® 3.0 Controllers, x 4, x 2, x 1 Three USB 3.0 with integrated PHY SATA 3.0 controller Quad SPI	 High versatility that enables support for 802.11ac modules and high bandwidth connectivity for ASICs, 4G/LTE, SATA and low-cost NAND/NOR Flash Multiple USB 3.0 for redundant WAN fail over, storage and configuration Advanced XFI, Quad SGMII for maximum Ethernet flexibility
Support for hardware-based virtualization	Enables partitioning of physical and virtual resources on LS1046A multicore devices for increased system flexibility

www.nxp.com/QorIQ

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Microprocessors - MPU category:

Click to view products by NXP manufacturer:

Other Similar products are found below:

MC7457RX1000LC MC7457RX1267LC A2C00010998 A A2C52004004 R5F117BCGNA#20 ADJ3400IAA5DOE MPC8245TZU300D MPC8260ACVVMHBB MPC8323ECVRAFDCA MPC8536ECVJAVLA BOXNUC5PGYH0AJ 20-668-0024 P1010NSN5DFB P2020NXE2HHC P5020NSE7VNB LS1020ASN7KQB LS1020AXN7HNB LS1020AXN7KQB A2C00010729 A A2C00039344 T1022NSE7MQB T1022NXN7PQB T1023NSE7MQA T1024NXE7PQA T1042NSN7MQB T1042NXN7WQB T2080NSN8PTB T2080NXE8TTB T2081NXN8TTB MC68302CEH20C TS68040MF33A MPC8260ACVVMIBB MPC8280CZUUPEA MPC8313ECVRAGDC MPC8313EVRADDC MPC8313VRADDC MPC8323EVRAFDCA BOXSTCK1A8LFCL UPD78F0503AMCA-CAB-G UPD78F0513AGA-8EU-AT Z8018008VEG LS1020ASE7HNB LS1021ASE7KQB LS1021ASN7KQB MPC8358ECVRAGDGA MPC8544CVJALFA MPC855TZQ80D4 MPC8569VJAUNLB P1013NSN2EFB P5020NXE7TNB