

TWR-WIFI-AR4100

Tower System 802.11n Wi-Fi® module

Overview

The TWR-WIFI-AR4100 peripheral module provides an ultra low-power wireless solution with 802.11n Wi-Fi[®] connectivity using the Freescale Tower System. This fully FCC- and CE-certified Qualcomm Atheros system-in-package module comes with MQX™ software and enables you to quickly go from the lab to production with the same Wi-Fi hardware module.

The on-board Qualcomm Atheros silicon features easy-to-use wireless connectivity for the entire home, and pre-certification will save you time and money in getting your product to market.

This peripheral module is designed to be combined and used with other microcontroller and peripheral modules in the Tower System.





Features

- Ultra low-power AR4100 802.11n Wi-Fi system-in-package solution from Qualcomm Atheros
- Low energy and low system resource requirements
- Integrated RF front end, RF shield, 32 kHz sleep clock and system clock
- · Best-in-class Rx sensitivity for superior throughput rate-over-range performance
- Integrated high-power, high-efficiency power amplifier
- Low-density parity check (LDPC) encoding for improved uplink robustness over range
- · Space time code blocking (STBC) for improved downlink robustness over range
- Wi-Fi protected setup (WPS) 2.0
- · FCC and Wi-Fi certified
- · Compatible with the Tower System, including MQX-based driver support
- SPI interface to Tower MCU modules
- On-board SPI flash for enabling minimal impact to MCU resources
- Access to expansion GPIO and debug signals for advanced development



Follow Tower Geeks on Twitter twitter.com/towergeeks



Visit Freescale on Facebook facebook.com/freescale


The Freescale Tower System

Controller Module

- Tower MCU/MPU board
- Works stand-alone or in Tower System
- Features integrated debugging interface for easy programming and run control via standard USB cable

Secondary Elevator

- Additional and secondary serial and expansion bus signals
- Standardized signal assignments
- · Mounting holes and expansion connectors for side-mounting peripheral boards



Primary Elevator

- Common serial and expansion bus signals
- Two 2x80 connectors on backside for easy signal access and side-mounting board (LCD module)
- Power regulation circuitry
- Standardized signal assignments
- Mounting holes

Board Connectors

- Four card-edge connectors
- Uses PCI Express® connectors (x16, 90 mm/ 3.5" long, 164 pins)

Size

- Tower is approx. 3.5" H x 3.5" W x 3.5" D when fully assembled
- Examples include serial interface module, memory expansion module and Wi-Fi®



Tower Geeks Online Community

TowerGeeks.org is an online design engineer community that allows members to interact, develop designs and share ideas. Offering a direct path to explore and interact with other engineers designing with the Tower System, TowerGeeks.org is a great way to discuss your projects, post videos of your progress, ask questions through the forum and upload software. With updates through Twitter and Facebook, it's easy to get involved.

For more information, visit freescale.com



Freescale and the Freescale logo are trademarks of Freescale Semiconductor, Inc., Reg. U.S. Pat. & Tm. Off. The Power Architecture and Power.org word marks and the Power and Power.org logos and related marks are trademarks and service marks licensed by Power.org. All other product or service names are the property of their respective owners. ©2011 Freescale Semiconductor, Inc. Document Number: AR4100FS REV 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for WiFi Development Tools - 802.11 category:

Click to view products by NXP manufacturer:

Other Similar products are found below:

YSAEWIFI-1 SKY65981-11EK1 QPF7221PCK-01 SIMSA915C-Cloud-DKL SIMSA433C-Cloud-DKL ISM43903-R48-EVB-E

QPF4206BEVB01 RN-G2SDK SKY85734-11EK1 SKY85735-11EK1 ENW49D01AZKF ESP-LAUNCHER MIKROE-2336

EVAL_PAN1760EMK EVAL_PAN1026EMK ATWINC1500-XPRO 2471 DM990001 WRL-13711 2999 ATWILC3000-SHLD DFR0321

TEL0118 3213 DFR0489 SLWSTK-COEXBP WRL-13804 DEV-13907 UP-3GHAT-A20-0001 3405 TEL0078 2680 2702 2821 3044

3606 3653 3654 4000 4172 4178 4201 4264 4285 CS-ANAVI-25 CS-ANAVI-26 CS-ANAVI-23 CS-ANAVI-24 CS-ANAVI-28 CS-ANAVI-29