

TOD-14201AMG-B4-H-FB_116

Dual Digit Display LED

| Part Number | Chip | | Face Color | Segment Color |
|--------------------------|----------|--------------|------------|---------------|
| | Material | Source Color | | |
| TOD-14201AMG-B4-H-FB_116 | AlGaInP | Ultra-green | Black | White |


Features

- Common cathode
- I.C. compatible
- Low power requirement
- RoHS compliant

Applications


- Audio equipment
- Instrument panels
- Digital read out display


Package Dimensions & Internal Circuit Diagram



Notes:

1. All dimensions are in millimeters, tolerance: ± 0.25 ; Angle: $\pm 0.1^\circ$ unless otherwise noted.
2. Specifications are subject to change without notice.





NO DICE

Absolute Maximum Rating @ Ta=25°C

| Parameter | Maximum Rating | Unit |
|-------------------------------------------------------------|-----------------|------|
| Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width) | 80 | mA |
| Power Dissipation Per Dice | 75 | mW |
| Continuous Forward Current Per Dice | 20 | mA |
| Recommend Operating Current Per Dice | 12 | mA |
| Reverse Voltage Per Dice | 15 | V |
| Operating Temperature Range | -25°C to +85°C | |
| Storage Temperature Range | -30°C to +85°C | |
| Lead-Free Solder Temperature(1/16 Inch Below Seating Plane) | 260°C for 3 Sec | |

Electrical / Optical Characteristic @ Ta=25°C

| Parameter | Symbol | Min. | Typ. | Max. | Unit | Test Condition | Grade |
|----------------------------------|-----------------|------|------|-------|---------|----------------|-------|
| Dominant Wavelength | λ_d | | 572 | | nm | $I_F=20mA$ | |
| Spectral Line Half-Width | $\Delta\lambda$ | | 15 | | nm | $I_F=20mA$ | |
| Forward Voltage | V_F | 1.8 | 2.0 | 2.3 | V | $I_F=20mA$ | |
| Reverse Current | I_R | | | 100 | μA | $V_R=5V$ | |
| Luminous Intensity Matching Rate | lv-m | | | 2.0:1 | | $I_F=20mA$ | |

The DISPLAYS should be kept at 30°C or less and 60%RH or less. The DISPLAYS should be used within one year.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Displays & Accessories](#) category:

Click to view products by [OASIS](#) manufacturer:

Other Similar products are found below :

[LTC-2721WC](#) [LTC-4627G](#) [LTC-4627WC](#) [LTD-5021AWC](#) [LTP-4323P](#) [LTS-3361JG-06](#) [ELS-316SYGWA/S530-E2](#) [1668](#) [HT-F196NB-5323](#) [SA03-12EWA](#) [LDQ-N514RI](#) [LDS-A3506RD](#) [LDS-A3926RI](#) [SI-B9T151550WW](#) [SI-B9V171550WW](#) [SLC-3PF-WL](#) [1624](#) [LTC-2621JD](#) [LTC-2623WC](#) [LTC-4624P](#) [LTC-4627JD](#) [LTP-1057AHR](#) [LTP-1457AKR](#) [LTP-3784G-01](#) [LTS-4812SKR-P](#) [LTS-6780P](#) [HV-7W30-6829](#) [DA43-11GWA](#) [LDD-E305RI](#) [LDQ-N3402RI](#) [LDQ-N3606RI](#) [LDS-A3924RI-SI](#) [LDT-M2804RI](#) [86004CB830](#) [LTP-3862JD](#) [LTP-2088AKD](#) [LTD-6740P](#) [LTC-4727E](#) [LTS-312AY](#) [LTS-6880Y](#) [LDS-SMC3002RISUGTR](#) [LTC-2623E](#) [CC25-12YWA](#) [LDM-6432-P3-UR-1](#) [EADSF056RA1](#) [LDF-U8004BI](#) [SLCN-42M-G](#) [SLCN-42M-W](#) [LTC-3710G](#) [LTS-4801KF](#)