

Technical data sheet

Brass spreading anchor

Item no. 3483061



Areas of application: full brick, concrete, wood. Ideally suited for areas exposed to high temperatures.



CuZn Brass

Master data

Item no.	3483061
Type	865 M6x24
Description 1	Brass expanding anchor
Dimension	M6
Material	Brass
Material symbol	CuZn
Smallest sales unit (VG)	100,00 Piece
Weight	0,44 kg/100 pc.


Technical data sheet

Brass spreading anchor

Item no. 3483061



Technical data



Length	24,00 mm
Dimension L	24,00 mm
Version for	Spreading anchor
Pull-out value	6000 N
Drill hole depth	32,00 mm
Drill hole diameter	8,00 mm
Anchor diameter	7,50 mm
Thread	M6
Suitable for fastening with cable ties	<input type="checkbox"/>
Suitable for gas concrete	<input type="checkbox"/>
Suitable for hexagonal wood screw	<input type="checkbox"/>
With edge	<input type="checkbox"/>
With bolts	<input type="checkbox"/>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [OBO BETTERMANN](#) manufacturer:

Other Similar products are found below :

[1015 10 G](#) [1015 11 G](#) [1015 12 G](#) [1015 13 G](#) [1015 14 G](#) [1015 15 G](#) [1015 16 G](#) [1015 17 G](#) [1015 20 G](#) [1015 28 G](#) [1015 5 G](#) [1015 6 G](#) [1015 7 G](#) [1015 8 G](#) [1015 9 G](#) [1015 D 10 G](#) [1015 D 12 G](#) [1015 D 5 G](#) [1015 D 6 G](#) [1015 D 7 G](#) [1015 D 8 G](#) [1015 D 9 G](#) [107 F M12 PE](#) [107 F M16 PE](#) [107 F M20 PE](#) [107 F M25 PE](#) [107 F M32 PE](#) [107 F M40 PE](#) [107 F M50 PE](#) [107 F M63 PE](#) [107 F PG16 PE](#) [107 F PG21 PE](#) [107 F PG36 PE](#) [107 F PG7 PE](#) [107 F PG9 PE](#) [107 R M20-16 PA](#) [107 R M25-20 PA](#) [107 R M32-25 PA](#) [107 R M40-25 PA](#) [107VS VM 12 PA](#) [107VS VM 16 PA](#) [107VS VM 20 PA](#) [108 M12 PS](#) [108 M16 PS](#) [108 M20 PS](#) [108 M25 PS](#) [108 M32 PS](#) [108 PG11](#) [108 PG13.5](#) [108 PG16](#)