Technical data sheet

Spacer clip 732

Item no. 1362417





Spacer clip for the installation of pipes and cables on walls, ceiling and floors. With self-locking upper part. . Surfaces G and FT from a clip size of 20 are suitable for the installation with a nail device or a bolt-firing tool.

Approved for the maintenance of electrical function according to DIN 4102 Part 12, function maintenance classes E30 to E90.





St G

Steel

Electrogalvanised

Master data

Item no.	1362417
Туре	ASG 732 17 G
Description 1	Distance saddle
Description 2	with threaded connection M6
Dimension	14-17mm
Material	Steel
Material symbol	St
Surface	Electrogalvanised
Surface to DIN	DIN EN 12329
Surface symbol	G
Smallest sales unit (VG)	25,00 Piece
Weight	1,79 kg/100 pc.


Technical data sheet

Spacer clip 732

Item no. 1362417



Technical data



44,00 mm Dimension A Dimension B 32,00 mm 18,00 mm Dimension b 14,00 - 17,00 mm Dimension D Dimension D 17,00 mm Dimension H1 6,50 mm Dimension t1 1,00 mm 1,25 mm Dimension t2 Dimension x 4,50 mm Distance to the wall \checkmark 1,00 Number of cables/pipes Version Closed Fastening type Threaded connection \checkmark

Suitable in fire protection area Halogen-free

 \checkmark Plastic coated

Clamping range D 14,00 - 17,00 mm UV-resistant

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Mounting & Accessories category:

Click to view products by OBO BETTERMANN manufacturer:

Other Similar products are found below:

582603-1 009333-000 727844N003 747 809090N001 843188-000 8666 967279N002 DB-11 1300840039 1300900096 1301800416

1302264450 1300830184 1300830729 1300900039 1301580036 1301850553 1301860939 1302000074 1302261315 1302264431

1337706-2 APA18-AK 1724 1-787307-1 185491N001 1868 HP-6N C-202-C 202C221-13-0 CA7308-000 8S23-75FR-CS8184 2684 9648

3089 988382-000 A72821-000 AA401 173506-000 1823 202C292-13-0 202C302-13-0 2109 300625 3330 3412 356247-1 M9142

M9143