

Technical data sheet

Bolt tie BZ-U

Item no. 3498322



Bolt tie BZ for the anchoring of medium-duty to heavy-duty loads, indoors and outdoors, both in cracked and non-cracked concrete. It combines high approved loads with small edge distances and axial spacings.



A4 Stainless steel, rustproof
2B Bright, reworked

Additional product text, instruction | European Technical Approval ETA-99/0010, including characteristic values under fire exposure to fire resistance R 120.
Proof of suitability in the case of seismic impacts, categories C1 and C2.
Shock approval by the Federal Office for Civil Protection in Bern, Switzerland.

Master data

Item no.	3498322
Type	BZ-U8-10-21/75A4
Description 1	Wedge anchor BZ-U
Dimension	M8x75mm
Material	Stainless steel, material A4
Material symbol	A4
Surface	Bright, reworked
Surface symbol	2B
Smallest sales unit (VG)	50,00 Piece
Weight	3,46 kg/100 pc.


Technical data sheet

Bolt tie BZ-U

Item no. 3498322



Technical data



Length	75,00 mm
Dimension L	75,00 mm
Version	For knocking in
Anchor/nail/bolt version	Spreading anchor
Drill hole depth	60,00 mm
Drill hole diameter	8,00 mm
Clamping range	10-21 mm
Clamping strength	10,00 mm
Thread	M8
Thread type	Metric
Thread metric	8,00
Permitted load range, tension zone	2,40 kN

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [OBO BETTERMANN](#) manufacturer:

Other Similar products are found below :

[1015 10 G](#) [1015 11 G](#) [1015 12 G](#) [1015 13 G](#) [1015 14 G](#) [1015 15 G](#) [1015 16 G](#) [1015 17 G](#) [1015 20 G](#) [1015 28 G](#) [1015 5 G](#) [1015 6 G](#) [1015 7 G](#) [1015 8 G](#) [1015 9 G](#) [1015 D 10 G](#) [1015 D 12 G](#) [1015 D 5 G](#) [1015 D 6 G](#) [1015 D 7 G](#) [1015 D 8 G](#) [1015 D 9 G](#) [107 F M12 PE](#) [107 F M16 PE](#) [107 F M20 PE](#) [107 F M25 PE](#) [107 F M32 PE](#) [107 F M40 PE](#) [107 F M50 PE](#) [107 F M63 PE](#) [107 F PG16 PE](#) [107 F PG21 PE](#) [107 F PG36 PE](#) [107 F PG7 PE](#) [107 F PG9 PE](#) [107 R M20-16 PA](#) [107 R M25-20 PA](#) [107 R M32-25 PA](#) [107 R M40-25 PA](#) [107VS VM 12 PA](#) [107VS VM 16 PA](#) [107VS VM 20 PA](#) [108 M12 PS](#) [108 M16 PS](#) [108 M20 PS](#) [108 M25 PS](#) [108 M32 PS](#) [108 PG11](#) [108 PG13.5](#) [108 PG16](#)