


Technical data sheet

Truss-head bolt with flange nut

Item no. 6406122



Truss-head bolt with square neck including flange nut.



St	Steel
F	Hot galvanised

Additional product text, instruction For example, for use in longitudinal hole 7 x 20 mm or 7 x 32 mm.

Master data

Item no.	6406122
Type	FRSB 6x12 F
Description 1	Truss-head bolt
Description 2	with combination nut
Dimension	M6x12
Material	Steel
Material symbol	St
Surface	Hot galvanised
Surface to DIN	DIN 267, Teil 10
Surface symbol	F
Smallest sales unit (VG)	100,00 Piece
Weight	0,81 kg/100 pc.


Technical data sheet

Truss-head bolt with flange nut

Item no. 6406122



Technical data



Length	12,00 mm
Dimension D	13,50 mm
Dimension d	6,00 mm
Dimension L	12,00 mm
WAF	10,00 mm
Dimension	M6x12 mm
Resistance grade	5,6
Thread	M6
Thread metric	6,00
With nut	<input checked="" type="checkbox"/>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [OBO BETTERMANN](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [0098.0094](#) [0098.9206](#) [59781-6](#) [0098.9212](#) [6292-1](#) [690432-1](#) [699161-000](#) [700989](#) [7230-3](#) [72609-02](#) [CAPTIVE JACK](#)
[SCREW](#) [73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9521](#) [992763-3](#) [1-18024-0](#) [A168P1](#) [1-](#)
[24921-1](#) [125416-1](#) [1301810313](#) [1-306131-6](#) [1301830042](#) [1458](#) [1-59781-3](#) [18029-4](#) [NBX-10953](#) [NUT-16-3P-HEX-NICKEL](#) [20993.45098](#)
[21004-1](#) [21009-4](#) [21014-5](#) [21021-2](#) [CA24037A01](#) [22987-4](#) [240632-1](#) [240632-2](#) [89506-9801](#) [2504](#) [9031](#) [9-1393249-2](#) [2.5NZPNBU](#) [26-](#)
[0048PP](#) [27210-1](#) [27210-8](#) [9318](#) [9520](#)