


# Technical data sheet

## Cavity wall connection socket with cover

Art.-Nr. 2003430



Cavity wall connection box with cover, dimensions to DIN 49073-1, for plate thickness 7-35 mm. 8 break-out openings for NYM cables, data cables and pipes  $\varnothing$  20 mm, protection rating IP30.



**PP** Polypropylene

Additional product text 2 | According to IEC 61670-1, IEC 61670-22 and DIN 49073-1.

### Master data

Item no.	2003430
Type	HV 70 D
Description 1	Connection plug
Description 2	cavity wall
Dimension	$\varnothing$ 74mm, H50mm
Colour	Orange
Material	Polypropylene
Material symbol	PP
Smallest sales unit	10,00 Piece
Weight	3,65 kg/100 pc.




# Technical data sheet

## Cavity wall connection socket with cover

Art.-Nr. 2003430



### Technical data



Height	50,00 mm
Ø	74 max.
Diameter	74,00 mm
Closable	<input type="checkbox"/>
No. of entries	8,00
Entries	8
Number of switch boxes	1,00
Type of entry	break-out openings for NYM cables, data cables and pipes Ø 20 mm
Type of housing penetration	Pre-marking
Version for	Single
Shape	Connection socket/box
Equipment	Without
Cover	Not transparent
Cover fastening	Screwed
Cover screw clearance	67,00 mm
Entry from rear	<input checked="" type="checkbox"/>
Milling hole diameter	74,00 mm
Flame resistant	Flame resistant to VDE 0471/DIN 695 Part 2-1, test temperature 850 °C
Shape	Round
For pipe diameter	20 mm
Function maintenance (ETIM)	Without
Floor height	50 mm
Suitable for board thickness	7,00 - 35,00 mm
Halogen-free	<input checked="" type="checkbox"/>
Max. conductor cross-section	2,50 mm <sup>2</sup>
With screening	<input type="checkbox"/>
With nail strap	<input type="checkbox"/>
With bolts	<input checked="" type="checkbox"/>
Mounting type	Cavity wall
Nominal cross section	1,50 - 2,50 mm <sup>2</sup>
Nominal voltage	400,00 V
Sealable	<input type="checkbox"/>
Impact-resistant	<input type="checkbox"/>
Protection rating	IP30
Support	Without
Wind-tight	<input type="checkbox"/>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Electrical Enclosures](#) category:*

*Click to view products by [OBO BETTERMANN](#) manufacturer:*

Other Similar products are found below :

[1201110001](#) [120-401](#) [120-905](#) [120-909](#) [120-403](#) [130-004](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [30-9777-BU](#) [110-902](#) [110-901](#)  
[A16N12BLP](#) [110-406](#) [110-401](#) [110-404](#) [120-405](#) [34861601](#) [106-009](#) [106-505](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-](#)  
[455](#) [9511150](#) [9511017](#) [9820011](#) [NSYTDB5PL](#) [137-455](#) [130-001](#) [105-904](#) [120-404](#) [137-005](#) [130-505](#) [127-406](#) [AB 1,5.0](#) [AB2.0](#) [ABM.0](#)  
[73345601](#) [F-MP](#) [H-MP](#) [M-MP](#) [PAT 12040](#) [2461000](#) [9121230](#) [79541301](#)