


# Technical data sheet

## Multifunctional connector 60

Item no. 6225718



Multifunctional connector for joining cable ladders with a side height of 60 mm. Symmetrical and asymmetrical reductions, infinitely-adjustable bends between 0–60° and add-on tees can be created.




<b>St</b>	Steel
<b>FS</b>	Strip galvanised

### Master data

Item no.	6225718
Type	LMFV 660 FS
Description 1	Multifunctional connector
Description 2	for cable ladder
Dimension	60x600
Material	Steel
Material symbol	St
Surface	Strip galvanised
Surface to DIN	DIN EN 10346
Surface symbol	FS
Smallest sales unit (VG)	1,00 Piece
Weight	149,30 kg/100 pc.

### Technical data



Length	604,00 mm
Width	600,00 mm
Height	60,00 mm
Side height	60,00 mm
Dimension B	600,00 mm
Version	Straight and angle connector
Plate thickness	1,50 mm
Suitable for cable support system width	600,00 - 600,00 mm
Suitable for cable tray system height	60,00 mm
Suitable for cable tray	<input type="checkbox"/>
Suitable for mesh cable tray	<input type="checkbox"/>
Suitable for cable ladder	<input checked="" type="checkbox"/>
Suitable for maintaining electrical function	<input type="checkbox"/>
Adjustable connector, horizontal	<input checked="" type="checkbox"/>

# Technical data sheet

## Multifunctional connector 60

Item no. 6225718



### Technical data

Adjustable connector, vertical	<input type="checkbox"/>
Rustproof steel, pickled	<input type="checkbox"/>
Connection type	Screw connector

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Ducting & Raceways](#) category:*

*Click to view products by [OBO BETTERMANN](#) manufacturer:*

Other Similar products are found below :

[802A-ECSP](#) [923223-000](#) [A0405538](#) [1301170070](#) [1301230153](#) [1302263178](#) [1302263259](#) [1302264375](#) [1301170051](#) [1301180002](#)  
[1301230130](#) [1302264137](#) [1302264218](#) [AX102261](#) [AX102652](#) [AX102653](#) [AX102654](#) [AX102657](#) [AX102737](#) [NP24BK](#) [NP265W](#) [NP8LA](#)  
[A0405537](#) [TAPC2-2/0-X](#) [43-215](#) [AX100383](#) [TTSL2VC3-5-Y](#) [556029-4](#) [UTPSP3GY](#) [DD2J](#) [WMPFS](#) [NP720I](#) [WB22543A01](#) [569088-3](#)  
[1302264205](#) [1301170059](#) [1302264388](#) [1302263854](#) [1302263180](#) [1301230154](#) [803A-TSP](#) [1301180028](#) [801A-JCSP](#) [801A-LSP](#) [801A-TSP](#)  
[802A-LSP](#) [802A-TSP](#) [803A-ECSP](#) [803A-ICSP](#) [3066](#)