


Technical data sheet

Box lid

Art.-Nr. 2003248



Box cover suitable for the connection sockets, type UV...K, cover edge is flush, surface is roughened, cover bolts can be lowered.



PS Polystyrene

Master data

| | |
|---------------------|-----------------|
| Item no. | 2003248 |
| Type | UV 150 D |
| Description 1 | Box lid |
| Description 2 | concealed |
| Dimension | 170x170x1,75 |
| Colour | White |
| Material | Polystyrene |
| Material symbol | PS |
| Smallest sales unit | 5,00 Piece |
| Weight | 4,85 kg/100 pc. |


Technical data sheet

Box lid

Art.-Nr. 2003248



Technical data



| | |
|------------------|---|
| Width | 170,00 mm |
| Height | 1,75 mm |
| Length | 170,00 mm |
| Dimension A | 200,00 mm |
| Dimension B | 170,00 mm |
| Dimension s | 1,75 mm |
| Fastening type | Screw-on lid |
| Cover | Not transparent |
| Cover fastening | Screwed |
| Flame resistant | Flame resistant to VDE 0471/DIN 695 Part 2-1, test temperature 650 °C |
| Shape | Square |
| Halogen-free | <input checked="" type="checkbox"/> |
| With bolts | <input type="checkbox"/> |
| Nominal voltage | 400,00 V |
| Sealable | <input checked="" type="checkbox"/> |
| Impact-resistant | <input checked="" type="checkbox"/> |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [OBO BETTERMANN](#) manufacturer:

Other Similar products are found below :

[1201110001](#) [120-401](#) [120-905](#) [120-909](#) [120-403](#) [130-004](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [30-9777-BU](#) [110-902](#) [110-901](#)
[A16N12BLP](#) [110-406](#) [110-401](#) [110-404](#) [120-405](#) [34861601](#) [106-009](#) [106-505](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-](#)
[455](#) [9511150](#) [9511017](#) [9820011](#) [NSYTDB5PL](#) [137-455](#) [130-001](#) [105-904](#) [120-404](#) [137-005](#) [130-505](#) [127-406](#) [AB 1,5.0](#) [AB2.0](#) [ABM.0](#)
[73345601](#) [F-MP](#) [H-MP](#) [M-MP](#) [PAT 12040](#) [2461000](#) [9121230](#) [79541301](#)