

Pin view

Tolerance on all hole positions $\pm 0.5\text{mm}$
Hole dia. 1mm

Electrical specification.

Turns ratio: 1:1


Impedance (ref. 1kHz):
Primary: 800 ohms
Secondaries: 800 ohms C.T.

Max. power: 2mW

Frequency range: 200Hz - 15kHz

Inductance (nom.),
measured at 100Hz, 0.27V:
Primary: 1.7H
Secondaries: (3 - 4): 420mH (3 - 5): 1.7H

DC resistance (ohms +/- 15%)
Primary: 63
Secondary: 84 (total)



OXFORD ELECTRICAL PRODUCTS Ltd.
15 - 17 Industrial Estate, Wroslyn Road
Freeland, Witney, Oxon. OX29 8SN
Tel: (01993) 886200 Fax: (01993) 886210
Website: www.oep.co.uk

DESCRIPTION	ISSUE	DATE	DRAWN	CHECKED	DRAWING NUMBER
Specification for E187A	1	13/02/04	CS		E187A
	2	20/05/04	CS		
	3	15/06/04	CS		
Scale: 2 to 1	All dimensions in mm unless stated otherwise				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [oep](#) manufacturer:

Other Similar products are found below :

[016608F](#) [PT4](#) [E187B](#) [PT42E](#) [PT8](#) [TF048](#) [Z1604](#) [P1200](#)