



Compact Portable Shipping Scales for General Shipping Applications

Introducing the Courier 1000 Series Shipping Scales – a versatile line of lightweight, durable weighing equipment able to handle everything from general shipping applications for businesses to light weighing jobs for veterinary offices.

Unique Features:


- Its ultra-compact ABS plastic design combines light weight and durability. Courier scales are exceptionally easy to transport thanks to their integrated handles.
- Large 20 mm high display works with Dynamic Weighing mode to store data & ensure it is easily accessible when weighing packages and is also ideal for weighing small animals in veterinary use.
- Battery powered (not included) for use in the office or shop. AC adapter power included.

COURIER™ 1000 Shipping Scales

Specifications

Modelo	i-C12P9	i-C12P20	i-C12P75
Capacity × Default Readability	9 kg x 0.005 kg	20 kg x 0.01 kg	75 kg x 0.05 kg
Maximum Displayed Resolution	1:2 000	1:2 200	1:1 650
Weighing Units	kg, lb		
Application Mode	Weighing, Dynamic Weighing, Weight Alert™ (only available in lb weighing mode in i-C12P75 model)		
Display	20 mm digit height, 4-digit 7-segment LCD display		
Keyboard	2 mechanical function keys		
Construction	ABS plastic housing and pan		
Stabilization Time	within 2 seconds		
Power	AC adapter (included) or 3 C (LR14) batteries (not included) Battery life: 300 hours with alkaline cells with auto off after 4 minutes of inactivity		
Operating Temperature Range	5 °C to 40 °C		
Safe Overload Capacity	150% of capacity		
Platform Dimensions (L x W x H)	280 x 316 x 60 mm		
Net Weight	1.5 kg		
Shipping Weight	2 kg		
Shipping Dimensions	395 x 385 x 155 mm		

Outline Dimensions



Other Features and Equipment

ABS housing and platform, stainless steel platform (accessory sold separately)

Compliance

- **Product Safety:** IEC/EN 61010-1; UL certified power supply
- **Electromagnetic Compatibility:** IEC/EN 61326-1 Class B, basic environments; FCC Part 15 Class A;
Canada ICES-003 Class A
- **Compliance Marks:** CE, UKCA
- **Other:** WEEE, RoHS

Accessories

Stainless Steel Weighing Pan 80251248

OHAUS Europe GmbH

e-mail: ssc@ohaus.com

Tel: 0041 22 567 53 19

e-mail: tsc@ohaus.com

Tel: 0041 22 567 53 20

www.ohaus.com

The management system governing the manufacture of this product is ISO 9001:2015 certified.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Input Devices](#) category:

Click to view products by [Ohaus](#) manufacturer:

Other Similar products are found below :

[80260-00](#) [81485-28](#) [81521-08](#) [89758-05](#) [89886-26](#) [89941-00](#) [80262-00](#) [81601-26](#) [UL21KMZQ](#) [G8011900LPMUS0](#) [81485-26](#) [84105-13](#)
[FTRB4GA45ZB05](#) [DT2257X20V00GRY](#) [84Z2029-78](#) [84Z2029-79](#) [84Z2029-80](#) [LP1007EXXH00R](#) [100133BX](#) [EZ08-230013](#) [81248-04](#)
[HB110C3NWBNA](#) [89311-26](#) [HG2621](#) [3K020-4RN3AG](#) [3K020-4RC3AG](#) [3K206-2RC3AG](#) [3K015-3RN3AG](#) [I-C52M50R](#) [S0928980](#) [I-](#)
[C52M100L](#) [S0929000](#) [80500552](#) [I-C52M200L](#) [S0929010](#) [I-C71M60L](#) [I-C52M6R](#) [I-C31M200L](#) [I-C12P9](#) [S0928990](#) [I-C71M15R](#) [I-](#)
[C31M75R](#) [I-C71M60R](#) [S0929020](#) [I-C12P20](#) [I-C31M200R](#) [I-C31M35R-EU](#) [TMR-304](#) [STABILNY](#) [KS01-AV-BK](#) [KS01-AV-R](#)