COMTEC Order data on page 150











PLEASANT TO USE



THE PRODUCT

Modern, attractive, flat styling characterises the COMTEC family of cases. This makes desktop units easy to operate, and applications on the wall – then rotated by 180° – can be optimally mounted for the user.

The new "Softline" design gives the cases a high-quality appearance for housing equipment that needs to look good.

YOUR ADVANTAGE

Ergonomic design. A real asset when operating and reading.

Large area for interfaces at the top. Ideal for D-sub-plug connectors, round connectors etc.

Flat or raised bottom part for large-volume components.

Protection class IP 40

Max. size of PCB (D x W in mm)

		top part
120 F	94 x 123	105 x 137
120 H	94 x 128	105 x 137
	124 x 175	130 x 187
W		H

detailed drawings see our website **www.okw.com**





TABLE TOP OR WALL MOUNTED

Advantages for wall mounted applications

The ergonomically inclined front panel allows the case to be mounted within the operator's reach. Displays and readouts are easily legible for all users involved – be it the mechanical engineer, the operator etc.

Wall suspension element for rational wall mounting (a<u>ccessory).</u>

YOUR ADVANTAGE

Version I with closed bottom part. In version II the battery compartment can be fitted in the bottom parts (150 F/H, 200 F/H). Lid of battery compartment snapped-on.

Recessed operating area for the protection of the membrane keyboard.

Self-adhesive case feet ensure reliable desk-top positioning.

APPLICATIONS

Systems for data collection on the job and machines.

Communications equipment. Access and security controls and data systems engineering.

Medical field and laboratory technologies.

Measuring and controlling.

Industrial regulation.



150



Information on pages 58-59

		COMTEC	;				
COMTEC	Outside dim. in mm W D H	Version / Equipment (dim. in battery compartmer	mm) nt max. dim. keypad	Material	Part off-white RAL 9002	-No. black RAL 9005	
120 F	120 150 20/42	8 I –	87.85 x 109.85	ABS (UL 94 HB)	A 06 12 007	A 06 12 009	
120 H	120 150 40/62	8 I –	87.85 x 109.85	ABS (UL 94 HB)	A 06 12 107	A 06 12 10	
150 F	150 200 20/51	5 I –	117.85 x 159.80	ABS (UL 94 HB)	A 06 15 007	A 06 15 00	
	150 200 20/51	5 II • (see accessory)	117.85 x 159.80	ABS (UL 94 HB)	A 06 15 017	A 06 15 01	
150 H	150 200 40/71	5 I –	117.85 x 159.80	ABS (UL 94 HB)	A 06 15 107	A 06 15 10	
	150 200 40/71	(····· //	117.85 x 159.80	ABS (UL 94 HB)	A 06 15 117	A 06 15 11	
200 F	200 150 20/42	8 I –	167.75 x 109.85	ABS (UL 94 HB)	A 06 20 007	A 06 20 00	
	200 150 20/42	(167.75 x 109.85	ABS (UL 94 HB)	A 06 20 017	A 06 20 01	
200 H			167.75 x 109.85	ABS (UL 94 HB)	A 06 20 107	A 06 20 10	
	200 150 40/62	(····· //	167.75 x 109.85	ABS (UL 94 HB)	A 06 20 117	A 06 20 11	
290 H	290 200 44/75	5 I –	257.85 x 159.80	ABS (UL 94 HB)	A 06 29 107	A 06 29 10	
		COMTEC ACCES	SSORIES				
Article	For COMTEC	Version / Application			Part	t-No.	
 Battery cradle kit 	150 F/H, 200 F/H	ABS, off-white, for 4 x 1.5 V migno	off-white, for 4 x 1.5 V mignon cells (AA), battery clips nickel-plated*1			A 93 45 217	
 Battery cradle 	150 F/H, 200 F/H	ABS, off-white, for 1 x 9 V flat batt	, off-white, for 1 x 9 V flat battery (PP3)			A 91 74 003	
- ,	150 F/H, 200 F/H	ABS, off-white, for 2 x 9 V flat batt	ery (PP3)		A 91	74 002	
③ Set of battery clips	150 F/H, 200 F/H	tin-plated, for 1 x 9 V flat battery (PP3)			A 91 74 006		
150 F	150 F/H, 200 F/H	50 F/H, 200 F/H tin-plated, for 2 x 9 V flat battery (PP3)				A 91 61 002	
④ Plug-in contact	150 F/H, 200 F/H	for 1 x 9 V flat battery (PP3)	I x 9 V flat battery (PP3)		A 91 60 003		
5 Set of screws	all sizes	4 x ø 2.5 x 6 mm, for mounting PCE	3s		A 91	99 008	
			٥ ٩	AND			

universal accessories on pages 178-187

*1 complies with DIN EN 60601 (short circuit caused by incorrect insertion of batteries impossible)

Subject to technical modification without notice. Typographical and other errors do not justify any claim for damages. Stand: 10/12e Copyright © 2012 OKW Gehäusesysteme

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for okw manufacturer:

Other Similar products are found below :

 A1020648
 A9413351
 B3218101
 B4208208
 B9004028
 A9082065
 A0224070
 M-6PCBK
 A5116000
 D1040465
 D2012121
 D2512017

 D2512018
 D3015317
 D4054117
 D5111807
 D9052288
 D9072149
 D9408441
 D9413648
 D9413747
 A1020049
 A2650060
 B3214101

 A9180001
 A9066119F
 A1320260
 A1324860
 A4123105
 A4140100
 A4223000
 D9051459
 A1020048
 A2440068
 A9084165
 A1321860

 A1422469
 A4213008
 A6023019
 A7510000
 D5111057
 D5116057
 A2531068
 A1020068
 A2513048
 A3016638
 A3116068
 A9406351

 A1031639
 A1102007
 D5111057
 D5116057
 A2531068
 A1020068
 A2513048
 A3016638
 A3116068
 A9406351