OmniPreSense OPS241-B Short-Range Radar

OmniPreSense's OPS241-B is complete short-range FMCW (frequency modulated constant wave) radar solution providing range reporting for multiple objects in its field of view. All radar signal processing is done on board and a simple API reports the processed data. Flexible control over the reporting format and transmit power levels is provided.

The OPS241-B module can be connected to any Smart USB host (Raspberry Pi, Android device supporting OTG, PC or Mac) or Arduino using its UART interface to enable a simple IoT sensor.

Features

- 1-30m (3-98') detection range •
- Range Resolution of 0.075m
- Reporting accuracy ≤10%
- Wide 78° beam width (-3 dB)
- UART and USB interface
- Simple API control, 14Hz report rate •
- Industrial temp operation (-40 to +85°C)
- 1.4W Active power, 0.6W Idle power
- Small form factor 53 x 59 x 12 mm, 11g (sensor only)

Applications

- **Traffic Monitoring**
- IoT Sensor
- Drone/Robotics

Functionality

- **Traffic Monitoring** •
- Speed/Direction Reporting
- Presence Detection
- **Collision Avoidance**

Order Part Number


OPS241-B-FM-RP


Radar Sensor

www.omnipresense.com

OPS-PB-005-A







Antenna Pattern

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for WiFi Modules (802.11) category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below :

WISE-1520ITB-TDA1E SX-PCEAN2C-SP BCM43602KMLG 7265.NGWG.W ENW-49801A1JF WH-M2SD50NBT SX-680-2700-SP RN171-IRM481 FXX-3061-MIX 9668C52W10E EMIO-1533-00A2 EWM-W162M201E ISM43340-L77-TR BCM4352KMLG BCM43520KMLG BCM43217KMLG 7265.NGWWB.W PPC-WL-KIT02-R11 RC-CC2640-A M113DH3200PS3Q0 SX-PCEAN2c WT-01S WT8266-S3 ESP-07S WT8266-S6 ESP-12S WT-01F WT8266-S5 ESP-12F WT32-S1 ESP-WROOM-02UC ESP-WROOM-02DC WT-01N ESP32-WROOM-32UC ESP32-WROOM-32DC ESP-01 ESP-01S ESP32-WROOM-32(16MB) ESP32-WROVER-E(8MB) ESP32-WROVER-IB(16MB) ESP32-WROVER-E(16MB) ESP32-WROVER-IB(8MB) ESP32-WROOM-32D(16MB) ESP32-WROOM-32U(8MB) ESP32-WROOM-32U(16MB) ESP-WROOM-02(4MB) ESP-WROOM-02D(4MB) ESP32-WROVER-E(4MB) ESP32-WROVER-B(16MB) ESP32-WROVER(IPEX 4MB) EAR00370 EAR00373 EAR00364