



AR0144CS: CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch

The AR0144 is a 1/4-inch 1.0 Mp CMOS digital image sensor with an active-pixel array of 1280H x 800V. It incorporates a new innovative global shutter pixel design optimized for accurate and fast capture of moving scenes. The sensor produces clear, low noise images in both low-light and bright scenes. It includes sophisticated camera functions such as auto exposure control, windowing, row skip mode, column-skip mode, pixel-binning and both video and single frame modes. It is programmable through a simple two-wire serial interface. The AR0144 produces extraordinarily clear, sharp digital pictures, and its ability to capture both continuous video and single frames makes it the perfect choice for a wide range of applications, including scanning and industrial inspection.

Features

- Best Global Shutter Efficiency
- Low Dark Current/Hot Pixels
- High Linear Full Well
- Low Operational Power
- Small Form Factor

Benefits

- Improved image quality for fast moving objects
- Total Noise Floor Reduction, SNR Improvement
- High Dynamic Range
- Ideal for battery powered applications
- Ideal for space constrained applications like Handheld Scanners

Applications

- Barcode Scanning
- 3D Scanning
- Virtual/Augmented Reality
- Positional Tracking
- Gesture Recognition
- Machine Vision
- Biometric Scanning

End Products

- Barcode Scanners
 - Head Mounted Displays
 - Biometric Scanners
 - Virtual Reality/Augmented Reality Glasses
 - Drones
-

Product	Status	Compliance	Description	Package		MSL *	Container	
				Type	Case Outline		Type	Qty.
AR0144CSSC00SUD20	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 0 degree CRA die			NA	MTFRM	1
AR0144CSSC00SUKA0-CPBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 0 degree CRA CSP with protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
AR0144CSSC00SUKA0-CRBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 0 degree CRA CSP no protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
AR0144CSSC20SUD20	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 20 degree CRA Die			NA	MTFRM	1
AR0144CSSC20SUKA0-CPBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 20 degree CRA CSP with protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
AR0144CSSC20SUKA0-CRBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 20 degree CRA CSP no protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
AR0144CSSM00SUD20	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 0 degree CRA die			NA	MTFRM	1
AR0144CSSM00SUKA0-CPBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 0 degree CRA CSP with protective film	ODCSP-69	570BV	4	Tray JEDEC	3000

ARO144CSSM00SUKA0-CRBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 0 degree CRA CSP no protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
ARO144CSSM20SUD20	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA die			NA	MTFRM	1
ARO144CSSM20SUKA0-CPBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA CSP with protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
ARO144CSSM20SUKA0-CPBR1	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 CSP Protective Film Low MOQ	ODCSP-69	570BV	4	Tray JEDEC	300
ARO144CSSM20SUKA0-CRBR	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA CSP no protective film	ODCSP-69	570BV	4	Tray JEDEC	3000
ARO144CSSM20SUKA0-CRBR1	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA CSP no protective film low MOQ	ODCSP-69	570BV	4	Tray JEDEC	300
ARO144CSSM28SUD20	Active	Pb-free ----- Halide free	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 28 degree CRA die			NA	MTFRM	1

Moisture Sensitivity level (MSL) for surface mount devices (lead free measured at 260°C reflow, non lead free at 235°C reflow)

Product	Compliance	Status	Description	Type	Megapixels	Frame Rate (fps)	Optical Format	Shutter Type	Pixel Size (µm)	Output Interface	Color	Package Type
AR0144CSC00SUD20	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 0 degree CRA die	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	
AR0144CSC00SUKA0-CPBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 0 degree CRA CSP with protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP-69
AR0144CSC00SUKA0-CRBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 0 degree CRA CSP no protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP-69
AR0144CSC20SUD20	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 20 degree CRA Die	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	
AR0144CSC20SUKA0-CPBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 20 degree CRA CSP with protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP-69
AR0144CSC20SUKA0-CRBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, RGB Color 20 degree CRA CSP no protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP-69
AR0144CSTM00SUD20	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 0 degree CRA die	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	
AR0144CSTM00SUKA0-CPBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 0 degree CRA CSP with protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP-69
AR0144CSTM00SUKA0-CRBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 0 degree CRA CSP no protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP-69
AR0144CSTM20SUD20	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA die	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	

Product	Compliance	Status	Description	Type	Megapixels	Frame Rate (fps)	Optical Format	Shutter Type	Pixel Size (µm)	Output Interface	Color	Package Type
AR0144CSSM20SUKA0-CPBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA CSP with protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP-69
AR0144CSSM20SUKA0-CPBR1	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 CSP Protective Film Low MOQ	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP-69
AR0144CSSM20SUKA0-CRBR	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA CSP no protective film	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP-69
AR0144CSSM20SUKA0-CRBR1	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 20 degree CRA CSP no protective film low MOQ	CMOS	1MP	60	1/4 inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP-69
AR0144CSSM28SUD20	Pb-free Halide free	Active	CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch, Mono 28 degree CRA die	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Image Sensors](#) category:

Click to view products by [ON Semiconductor](#) manufacturer:

Other Similar products are found below :

[MT9J003I12STCV2-DP](#) [KAF-4320-AAA-JP-B1](#) [AR0331SRSC00SUCA0-DPBR](#) [EKL3104](#) [MT9J003I12STCU-DP](#) [MT9P031I12STM-DR](#)
[OV07955-N53V-PE](#) [AP0202AT2L00XPGA0-DR](#) [AR0132AT6M00XPEA0-DPBR](#) [MT9V138C12STC-DP1](#) [KLI-8023-RAA-ED-AA](#) [KLI-8023-AAA-ED-AA](#) [NOM02A4-AG01G](#) [NOM02A4-AR03G](#) [AP0100AT2L00XUGA0-DR](#) [AR0130CSSC00SPCA0-DPBR](#)
[AR0130CSSM00SPCA0-DPBR](#) [AR0130CSSM00SPCA0-DRBR](#) [AR0134CSSC00SPCA0-DPBR](#) [AR0134CSSM00SPCA0-DPBR](#)
[AR0135CS2C00SUEA0-DPBR](#) [AR0135CS2C00SUEA0-DRBR](#) [AR0135CS2C19SUEA0-DRBR](#) [AR0135CS2M00SUEA0-DPBR](#)
[AR0135CS2M00SUEA0-DRBR](#) [AR0135CS2M25SUEA0-DPBR](#) [AR0144CSSC00SUKA0-CPBR](#) [AR0144CSSC00SUKA0-CRBR](#)
[AR0144CSSC00SUKA0-CRBR1](#) [AR0144CSSC20SUKA0-CPBR](#) [AR0144CSSC20SUKA0-CRBR](#) [AR0144CSSM00SUKA0-CPBR](#)
[AR0144CSSM00SUKA0-CRBR](#) [AR0144CSSM20SUKA0-CPBR](#) [AR0144CSSM20SUKA0-CRBR](#) [AR0144CSSM28SUKA0-CPBR](#)
[AR0147ATSC00XUEA5-DPBR](#) [AR0220AT4B00XUEA2-DPBR](#) [AR0221SR2C00SUEA0-DPBR](#) [AR0221SR2C00SUEA0-DRBR](#)
[AR0234CSSC00SUKA0-CP](#) [AR0234CSSC28SUKA0-CP](#) [AR0234CSSC28SUKA0-CR](#) [AR0234CSSM00SUKA0-CP](#)
[AR0234CSSM00SUKA0-CR](#) [AR0234CSSM28SUKA0-CP](#) [AR0234CSSM28SUKA0-CR](#) [AR0237CSSC00SHRA0-DR](#)
[AR0237CSSC12SHRA0-DR](#) [AR0237CSSC12SPRA0-DR](#)