onsemi

AR0521

CMOS Image Sensor, 5.1 MP, 1/2.5"

Product Overview

For complete documentation, see the data sheet.

The AR0521 is a 1/2.5-inch CMOS digital image sensor with an active-pixel array of 2592 (H) x 1944 (V). It captures images in either linear or high dynamic range modes with a rolling-shutter readout, and includes sophisticated camera functions such as binning, windowing and both video and single frame modes. It is designed for both low light and high dynamic range performance, with line interleaved T1/T2 read out to support off chip HDR in an ISP chip. The AR0521 produces extraordinarily clear, sharp digital pictures, and its ability to capture both continuous video and single frames makes it the perfect choice for a security applications.

Features

- 5 Mp at 60 fps for Excellent Video Performance
- Small Optical Format (1/2.5-inch)
- 1440p Mode for 16:9 Video
- Superior Low-light Performance
- 2.2 m Back Side Illuminated Pixel Technology
- Supports Line Interleaved T1/T2 Readout to Enable HDR Processing in ISP Chip
- Support for External Mechanical Shutter
- On-chip Phase-locked Loop (PLL) Oscillator
- Integrated Color and Lens Shading Correction
- Slave Mode for Precise Frame-rate Control For more features, see the data sheet

Applications

- Video Surveillance
- High Dynamic Range Imaging

End Products

- Security Camera
- Action camera
- Car DVR

Part Electrical Specifications												
Product	Pricing (\$/Unit)	Complian ce	Status	Туре	Megapi xels	Frame Rate (fps)	Optical Format	Shutter Type	Pixel Size (µm)	Output Interfac e	Color	Packag e Type
AR0521SR2C09 SURA0-DP		20 (1)	Active	CMOS	5.1	60	1/2.5 inch	Electron ic Rolling and Global Reset Release	2.2 x 2.2	Multi	RGB	PLCC- 52
AR0521SR2C09 SURA0-DP1		20 🕄	Active	CMOS	5.1	60	1/2.5 inch	Electron ic Rolling and Global Reset Release	2.2 x 2.2	Multi	RGB	PLCC- 52
AR0521SR2C09 SURA0-DR		(1)	Active	CMOS	5.1	60	1/2.5 inch	Electron ic Rolling and Global Reset Release	2.2 x 2.2	Multi	RGB	PLCC- 52
AR0521SR2C09 SURA0-DR1		(1)	Active	CMOS	5.1	60	1/2.5 inch	Electron ic Rolling and Global Reset Release	2.2 x 2.2	Multi	RGB	PLCC- 52
AR0521SR2M09 SURA0-DP		PD 🖪	Active	СМОЅ	5.1	60	1/2.5 inch	Electron ic Rolling and Global Reset Release	2.2 x 2.2	Multi	Mono	PLCC- 52
AR0521SR2M09 SURA0-DR		20 🖪	Active	СМОЅ	5.1	60	1/2.5 inch	Electron ic Rolling and Global Reset Release	2.2 x 2.2	Multi	Mono	PLCC- 52

. .

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Image Sensors category:

Click to view products by ON Semiconductor manufacturer:

Other Similar products are found below :

KAF-16803-ABA-DD-BA KAF-4320-AAA-JP-B1 KAF-16200-ABA-CD-B2 KAF-50100-AAA-JD-BA KAI-0340-FBA-CB-AA-SINGLE KAI-11002-ABA-CD-B1 KAI-2020-ABA-CD-BA KAI-2093-ABA-CB-B2 KAI-2020-ABA-CP-BA KAI-01150-FBA-FD-BA KAF-8300-AXC-CD-AA KAI-11002-ABA-CD-B2 KAF-3200-ABA-CD-B2 AR0331SRSC00SUCA0-DPBR EKL3104 MT9V138C12STC-DP1 KAI-08051-AXA-JP-BA KL1-8023-RAA-ED-AA KAF-0402-ABA-CP-B2 KL1-8023-AAA-ED-AA KAF-16200-FXA-CD-B2 KAI-04050-AAA-JP-BA NOM02A4-AG01G NOM02A4-AR03G KAF-1603-AAA-CP-B2 KAF-1001-AAA-CP-B1 NOIV1SE2000A-QDC KAI-1003-AAA-CR-B2 KAI-0340-FBA-CB-AA-DUAL KAF-0402-ABA-CD-B1 KAI-01050-FBA-JD-BA AR0237IRSH12SHRA0-DR NOIV1SE5000A-QDC OV02659-A47A AR0132AT6M00XPEA0-DRBR DR2X2K7_INVAR_RGB_V6 DR2X4K7_INVAR_RGB_V6 NOIP1SE1300A-QDI AR0132AT6C00XPEA0-DRBR1 AR0140AT3C00XUEA0-DPBR2 AR0144CSSC00SUKA0-CPBR1 AR0144CSSC00SUKA0-CPBR2 AR0230CSSC00SUEA0-DPBR2 AR0238CSSC12SHRA0-DP2 AR0330CM1C00SHAA0-DP2 AR0330CM1C00SHAA0DR AR0330CM1C00SHAA0-DP1 AR0330CS1C12SPKA0-CP2 AR0521SR2M09SURA0-DP1 AR0522SRSC09SURA0-DP1