

**Type MID**  
**Fast Acting Automotive (MIDI®)<sup>1</sup>**  
**Limiter Fuse**  
**30mm Center to Center Bolt-On**



www.optifuse.com (619) 593-5050

**Interrupting Rating (IR):** 1000A @ 32VDC  
**Operating Temperature:** -40°C ~ 125°C


**Electrical Characteristics:**

Rating A (In)	100% In	110% In	150% In	200% In	300% In
<b>Time</b>	Min 100 hr.	Min 4 hr.	60 sec ~ 3600 sec	1 sec ~ 100 sec	.03 ~ 15sec

**Product Information**

Part Number	Ampere Rating	Voltage Rating (VDC)	Stamp Color Code	Nominal Cold Resistance (mΩ)
MID-030	30	32	Orange	N/A
MID-040	40	32	Green	1.3
MID-050	50	32	Red	1.04
MID-060	60	32	Yellow	0.87
MID-070	70	32	Brown	0.72
MID-080	80	32	Clear	0.56
MID-100	100	32	Blue	0.45
MID-125	125	32	Pink	0.40
MID-150	150	32	Gray	0.33
MID-200	200	32	Violet	N/A

**MID Product Dimensions: Inches[mm]**



Note: All specifications subject to change without notice.

Rev B 04/2011 - Page: 1/2  
 Code: J01-01W


1. MIDI® is a registered trademark of Littelfuse.

**Type MID**  
**Fast Acting Automotive (MIDI®)<sup>1</sup>**  
**Limiter Fuse**  
**30mm Center to Center Bolt-On**



www.optifuse.com (619) 593-5050

**Average Time Current Curves:**



	<p><b>Warning:</b> -Operation beyond the specified maximum ratings or improper use may result in damage and possible electrical arcing and/or flame.</p>
	<p>-Limiter Fuses are intended for occasional overcurrent protection. Application for repeated overcurrent condition and/or prolonged trip are not anticipated.</p> <p>-Avoid contact of Limiter Fuses with chemical solvent. Prolonged contact will damage the device performance.</p>

Note: All specifications subject to change without notice.

Rev B 04/2011 - Page: 2/2  
 Code: J01-01W

1. MIDI® is a registered trademark of Littelfuse.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Fuses](#) category:*

*Click to view products by [Optifuse](#) manufacturer:*

Other Similar products are found below :

[HBO-10](#) [HBO-100](#) [HBO-150](#) [HBO-40](#) [HBO-50](#) [AFX-150](#) [AT-10](#) [AT-30](#) [AT-5](#) [ATM-10ID](#) [ATM-4LP](#) [ACL-50](#) [AFX-50](#) [299080](#) [HBO-15](#)  
[AT-20](#) [AT-3](#) [0287015](#) [142.7010.5502](#) [FMM-15](#) [0MIN015.HXGLO](#) [2010T1.25A250V](#) [0695030.PXPS](#) [0695040.PXPS](#) [0297003.WXT](#)  
[0MIN025.HXGLO](#) [0MIN030.HXGLO](#) [0695025.PXPS](#) [0695015.PXPS](#) [0695050.PXPS](#) [0695060.PXPS](#) [MRBF-075](#) [02400106P](#)  
[0297002.WXT](#) [0297004.WXT](#) [0297010.WXT](#) [0297015.WXT](#) [0297020.WXT](#) [0297025.WXT](#) [0297030.WXT](#) [029707.5WXT](#) [0602925](#)  
[0602930](#) [0602935](#) [0602940](#) [0602950](#) [0602960](#) [0611100](#) [0611125](#) [0611150](#)